


Chapter 17. Circles

Ex 17.1

Answer 1.

(i)



$AC = CB$ ----(1) (Perpendicular from centre to a chord bisects the chord)

In right $\triangle ACO$,

By Pythagoras theorem, $OA^2 = OC^2 + AC^2$


$$13^2 - 12^2 = AC^2$$

$$AC^2 = 169 - 144 = 25$$

$$AC = 5\text{cm}$$

\therefore length of chord $AB = 2AC$ (from (1))

(ii)



$AC = CB$ ----(1) (Perpendicular from centre to a chord bisects the chord)

In right $\triangle ACO$,

By Pythagoras theorem, $OA^2 = OC^2 + AC^2$


$$\begin{aligned}AC^2 &= (1.7)^2 - (1.5)^2 \\ &= 2.89 - 2.25 \\ &= .64\end{aligned}$$

$$AC = 0.8\text{cm}$$

\therefore length of chord $AB = 2AC$ (from (1))

$$= 2(0.8) = 1.6\text{cm}$$

(iii)



$BA = AC$ ----(1) (Perpendicular from centre to a chord bisects the chord)

In right $\triangle OAB$,

By Pythagoras theorem, $OB^2 = OA^2 + AB^2$


$$\begin{aligned}AB^2 &= 6.5^2 - 2.5^2 \\ &= 42.25 - 6.25 \\ &= 36\end{aligned}$$

$$AB = 6\text{cm}$$

\therefore length of chord $BC = 2AB$ (from (1))

$$= 2(6) = 12\text{cm}$$

Answer 2.



$AD = DB = 1.6\text{cm}$ (Perpendicular from centre to a chord bisects the chord)

In right $\triangle ODA$,


$$\begin{aligned}\text{By Pythagoras theorem, } OA^2 &= OD^2 + AD^2 \\ &= 1.6^2 + 1.2^2 \\ &= 2.56 + 1.44\end{aligned}$$

$$OA^2 = 4$$

$$OA = 2\text{cm}$$

$$\text{Diameter}(AP) = 2(OA) = 2(2) = 4\text{cm}$$

Answer 3.



$$AF = FB = 8.4\text{cm}$$

And $DE = EC$ ----(1) (Perpendicular from centre to a chord bisects the chord)

In right $\triangle ODA$,

By Pythagoras theorem, $OA^2 = OF^2 + AF^2$

$$= (11.2)^2 + (8.4)^2$$

$$= 125.44 + 70.56$$

$$OA^2 = 196$$

$$OA = 14\text{cm}$$

$OA = OD = 14\text{cm}$ (radii of same circle)

Similarly, In $\triangle DEO$

$$OD^2 = OE^2 + DE^2$$

$$DE^2 = 14^2 - 8.4^2$$

$$= 196 - 70.56$$

$$DE^2 = 125.44$$


$$DE = 11.2\text{cm}$$

\therefore length of chord $DC = 2DE$

$$= 2(11.2)$$

$$= 22.4\text{cm}$$

Answer 4.



$$AF = FB = 3\text{cm}$$

$CE = ED = 7.2\text{cm}$ (Perpendicular from centre to a chord bisects the chord)

In right $\triangle AFO$, By Pythagoras theorem,

$$OA^2 = OF^2 + AF^2$$

$$OA^2 = (7.2)^2 + (3)^2$$

$$OA^2 = 51.84 + 9$$

$$OA^2 = 60.84$$

$$OA = 7.8\text{cm}$$

$OA = OC = 7.8\text{cm}$ (radii of same circle)

Similarly, In right $\triangle OFC$,

$$OC^2 = OE^2 + EC^2$$

$$OE^2 = (7.8)^2 - (7.2)^2$$


$$= 60.84 - 51.84$$

$$OE^2 = 9$$

$$OE = 3\text{cm}$$

Distance from centre of chord CD with length 14.4cm is 3cm.

Answer 5.



$AC = CB = 4\text{cm}$ (Perpendicular from centre to a chord bisects the chord)

In right $\triangle ABO$,

By Pythagoras theorem, $OA^2 = OC^2 + AC^2$


$$OC^2 = 6^2 - 4^2$$

$$OC = 36 - 16 = 20$$

$$OC = 2\sqrt{5}\text{cm}$$

Perpendicular distance of chord from centre is $2\sqrt{5}\text{cm}$

Answer 6.



$$OA = OQ = 5\text{cm (Radius of bigger circle)}$$

$$PQ = 3\text{cm (Radius of smaller circle)}$$

$$OP = 2\text{cm}$$

Perpendicular bisector of OP, i.e. AB meets OP at M.

$$OM = MP = \frac{1}{2}OP = 1\text{cm}$$

In right $\triangle OMA$,

By Pythagoras theorem,

$$OA^2 = OM^2 + MA^2$$

$$MA^2 = 5^2 - 1^2$$

$$= 25 - 1$$


$$= 24$$

$$AM = 2\sqrt{6}\text{cm}$$

$$AM = MB = 2\sqrt{6}\text{ cm}$$

$$AB = AM + MB = 2\sqrt{6} + 2\sqrt{6} = 4\sqrt{6}$$

Answer 7.



$$AP = PB = 3\text{cm}$$

$CQ = QD = 6\text{cm}$ (Perpendicular from centre to a chord bisects the chord)

$$OA = OC = r \text{ (say)}$$

$$\text{Let } OP = x, \therefore OQ = 3 - x$$

In right $\triangle OQC$,

By Pythagoras theorem,

$$OC^2 = OQ^2 + CQ^2$$

$$r^2 = (3 - x)^2 + 6^2 \text{ ----(1)}$$

Similarly, In $\triangle OPA$,

$$OA^2 = AP^2 + PO^2$$

$$r^2 = 3^2 + x^2 \text{ ----(2)}$$

From (1) and (2)

$$(3 - x)^2 + 6^2 = 3^2 + x^2$$

$$-6x + 36 = 0$$

$$x = 6$$


from (2)

$$r^2 = 3^2 + 6^2 = 9 + 36 = 45$$

$$r = 3\sqrt{5}$$

Thus, radius of the circle is $3\sqrt{5}\text{cm}$

Answer 8.



$$CP = PO = 12\text{cm}$$

Let $OA = OC = r$ (say)

Also, let $OQ = x$, $\therefore OP = 17 - x$

In right $\triangle OPC$,

By Pythagoras theorem,

$$OC^2 = OP^2 + PC^2$$

$$r^2 = (17 - x)^2 + 12^2 \text{ ----(1)}$$

Similarly, In $\triangle OQA$,

$$OA^2 = AQ^2 + QO^2$$

$$r^2 = 5^2 + x^2 \text{ ----(2)}$$

From (1) and (2)

$$(17 - x)^2 + 12^2 = 5^2 + x^2$$

$$289 - 34x + 144 - 25 = 0$$

$$34x = 408$$

$$x = 12$$

From (2)

$$r^2 = 5^2 + 12^2$$

$$25 + 144 = 169$$


$$r = 13$$

The radius of the circle is 13cm.

Answer 9.

Given: $AB = 18\text{cm}$, $MQ = 3\text{cm}$

To find: PQ



$$OQ = OA = r \text{ cm (say)}$$

$$\therefore OM = OQ - MQ = (r - 3) \text{ cm}$$

$$AM = MB = 9 \text{ cm (} PQ \perp AB \text{)}$$

In right $\triangle OMA$,

$$OM^2 + MA^2 = OA^2$$

$$\Rightarrow (r - 3)^2 + 9^2 = r^2$$

$$\Rightarrow r^2 - 6r + 9 + 81 = r^2$$

$$\Rightarrow 6r = 90$$

$$\Rightarrow r = 15 \text{ cm}$$


$$PQ = 2r$$

(Perpendicular bisector of a chord passes through the centre of the circle)

$$PQ = 2(15)$$

$$PQ = 30 \text{ cm}$$

Answer 10.



Draw perpendiculars OR and OS to CD and AB respectively.

In triangle ORP and triangle OSP

$$OP = OP$$

$$OR = OS \quad (\text{Distance of equal chords from centre are equal})$$


$$\angle PRO = \angle PSO \quad (\text{right angles})$$

Therefore, $\triangle ORP \cong \triangle OSP$

Hence, $\angle RPO = \angle SPO$

Thus OP bisects $\angle CPB$.

Answer 11.



Given: $PQ = RS$

To Prove: $TP = TR$ and $TQ = TS$.

Construction: Draw $ON \perp PQ$ and $OM \perp RS$.

Proof: Since equal chords are equidistant from the circle therefore

$$PQ = RS \Rightarrow ON = OM \quad \dots (1)$$

Also perpendicular drawn from the centre bisects the chord.

$$\text{So, } PN = NQ = \frac{1}{2}PQ \text{ and } RM = MS = \frac{1}{2}RS$$

But $PQ = RS$, we get

$$PN = RM \quad \dots (2)$$

$$\text{And, } NQ = MS \quad \dots (3)$$

Now in $\triangle TMO$ and $\triangle TNO$,

$$TO = TO \quad (\text{Common})$$

$$MO = NO \quad (\text{By (1)})$$

$$\angle TMO = \angle TNO \quad (\text{Each } 90 \text{ degrees})$$

Therefore, $\triangle TMO \cong \triangle TNO$ (By RHS)

$$\Rightarrow TN = TM \quad (\text{By CPCT}) \quad \dots (4)$$

Subtracting, (2) from (4), we get

$$TN - PN = TM - RM$$

$$\Rightarrow TP = TR$$


Adding (3) and (4), we get

$$TN + NQ = TM + MS$$

$$\Rightarrow TQ = TS$$

Hence Proved.

Answer 12.



Let QT be the diameter of $\angle PQR$

Since, $PQ = QR$

$\therefore OM = ON$

In $\triangle OMQ$ and $\triangle ONQ$

$OM = ON$ (equal chords are equidistant from the centre)

$\angle OMQ = \angle ONQ$ (90° each)


$OQ = OQ$ (common)

$\triangle OMQ \cong \triangle ONQ$ (RHS)

$\therefore \angle OQM = \angle OQN$ (CPCT)

Thus QT i.e. diameter of the circle bisects $\angle PQR$

Answer 13.



$$AM = MB$$

$$CN = ND$$

$$\therefore OM \perp AB$$


and $ON \perp CD$ (A line bisecting the chord and passing through the centre of the circle is perpendicular to the chord)

$$\therefore \angle OMA = \angle OND = 90^\circ \text{ each}$$

But these are alternate interior angles

$$\therefore AB \parallel CD$$

Answer 14.



Given: AB and CD are two chords of a circle with centre O .

$AB \parallel CD$, M and N are midpoints of AB and CD respectively.

To prove: MN passes through centre O .

Construction: Join OM , ON , and through O , draw a straight line EF parallel to AB .

Proof: $OM \perp AB$ (line joining the midpoint of a chord to the centre of a circle is perpendicular to it)

$$\therefore \angle AMO = 90^\circ$$

$$\therefore \angle MOE = 90^\circ \text{ [co-interior angle of } \angle AMO]$$


$$\therefore \angle NOE = 90^\circ \text{ [corresponding angle of } \angle AMO]$$

$$\therefore \angle MOE + \angle NOE = 180^\circ$$

$\therefore MON$ is a straight line.

Hence, MN passes through centre O .

Answer 15.



Given: Two congruent circles with centre O and P. M is the mid-point of OP

To prove: Chord AB and CD are equal.

Construction: Draw $OQ \perp AB$ and $PR \perp CD$.

Proof: In $\triangle OQM$ and $\triangle PRM$

$$\angle OQM = \angle PRC \quad (\text{Each } 90^\circ)$$

$$OM = MP \quad (\text{As M is the mid-point})$$

$$\angle OMQ = \angle PMR \quad (\text{Vertically opposite angles})$$

Therefore, $\triangle OQM \cong \triangle PRM$ (By AAS)


$$\Rightarrow OQ = PR \quad (\text{By CPCT})$$

Now the perpendicular distances of two chords in two congruent circles are equal, therefore chords are also equal.

$$\Rightarrow AB = CD.$$

Hence Proved.

Answer 16.



Given: Two circles with centres O and P, and $MN \parallel OP \parallel RQ$

To prove: (i) $MN = 2OP$ (ii) $MN = RQ$.

Construction: $OX \perp MN$, $PY \perp MN$, $OW \perp RQ$, $PZ \perp RQ$

Proof: Since each angle of the quadrilateral $XYZW$ is a right angle, $XYZW$ is a rectangle.

Also, $XYPO$ is a rectangle. ... (1)

Now, perpendicular drawn from the centre to the chord bisects the chord

Therefore, $MA = 2XA$ and $AN = 2AY$... (2)

Now, $MN = MA + AN = 2XA + 2AY$ [from (2)]

$\Rightarrow MN = 2(XA + AY) = 2XY$

$\Rightarrow MN = 2OP$ [As $XYPO$ is a rectangle, $XY = OP$] ... (3)

This proves part (i).

By similar arguments, we have $RQ = 2OP$... (4)

Using (3) and (4), we get

$MN = RQ$.

This proves part (ii).

Answer 17.

ABC is an equilateral triangle,

$$\therefore AB = AC$$

Also $AN = MB$ (radii of same circle)

$$\Rightarrow NC = MB$$

In $\triangle BNC$ and $\triangle CMB$

$NC = MB$ (proved above)

$\angle B = \angle C$ (60° each)

$BC = BC$ (Common)

$\therefore \triangle BNC \cong \triangle CMB$ (SAS)

$\therefore BN = CM$ (CPCT)

Answer 18.

In $\triangle DAM$ and $\triangle BAN$


$AN = AM$ (radii of same circle)

$AD = AB$ (sides of square ABCD)

$\angle DAM = \angle BAN$ (Common)

$\therefore \triangle DAM \cong \triangle BAN$ (SAS)

Answer 19.



M and N are mid points of equal chords AB and CD respectively.

$ON \perp CD$ and $OM \perp AB$

$\angle ONC = \angle OMA$ (90° each) ---(1) (A line bisecting the chord and passing through the centre of the circle is perpendicular to the chord)

$AB = CD$

$ON = OM$ (equal chords are equidistant from the centre)

In $\triangle MON$,

$MO = NO$


$\therefore \angle ONM = \angle OMN$ ---(2)

Subtracting (2) from (1)

$\angle ONC - \angle ONM = \angle OMA - \angle OMN$

$\angle CNM = \angle AMN$

Answer 20.



Join OX and OZ

In ΔXOY and ΔZOY

$OX = OZ$ (radii of same circle)

$XY = YZ$ (given)


$OY = OY$ (common)

$\therefore \Delta XOY \cong \Delta ZOY$ (SSS)

$\therefore \angle OYX = \angle OYZ$ (CPCT)

Hence, OY is the bisector of $\angle XYZ$ passing through O

Answer 21.



Since ABC is an isosceles triangle, AOD is the perpendicular bisector of BC .

In triangle ADC , by Pythagoras theorem we have

$$AD^2 = AC^2 - DC^2 = 13^2 - 5^2 = 169 - 25 = 144$$

$$\Rightarrow AD = 12 \text{ cm} \Rightarrow AO + OD = 12 \Rightarrow AO = 12 - x \quad (\text{Assuming } OD = x \text{ cm})$$

Again in triangle OBD ,

$$OB^2 = BD^2 + OD^2 = 25 + x^2 \quad (\text{As } BD = 5 \text{ cm})$$

$$\Rightarrow (12 - x)^2 = 25 + x^2 \quad (\text{As } AO = BO = \text{radius})$$


$$\Rightarrow 144 + x^2 - 24x = 25 + x^2$$

$$\Rightarrow -24x = 25 - 144 = -119$$

$$\Rightarrow x = 4.96 \text{ cm}$$

$$\Rightarrow AO = 12 - 4.96 = 7.04 \text{ cm}$$

Answer 22.



Given: $AB = AC$, $\angle ABO = \angle CBO$

To Prove: $AB = BC$

Construction: Draw $ON \perp AB$ and $OM \perp BC$

Proof: In triangles BNO and BMO,

$$\angle NBO = \angle MBO \quad (\text{Given})$$

$$\angle BNO = \angle BMO \quad (\text{Each } 90^\circ)$$

$$BO = BO \quad (\text{Common})$$

Thus, $\triangle BNO \cong \triangle BMO$ (By AAS)

$$\Rightarrow BN = BM$$

$\Rightarrow 2BN = 2BM$ (Since perpendicular drawn from the centre bisects the chord)

$$\Rightarrow AB = BC$$

Hence Proved.

Ex 17.2

Answer 1.

Since arc AB makes $\angle AOB$ at the centre and $\angle APB = 50^\circ$ on the remaining part of the circle.

$$\angle AOB = 2\angle APB$$

$$\angle AOB = 2(50)$$

$$= 100^\circ$$

$AO = OB = x$ (radii of same circle)

In $\triangle AOB$

$$\angle AOB + \angle BAO + \angle ABO = 180$$

$$100 + x + x = 180$$

$$2x = 80$$

$$x = 40$$

$$\therefore \angle OAB = 40^\circ$$

Answer 2.

$$\angle AOC = 150^\circ$$

$$\text{Reflex } \angle AOC = 360^\circ - 150^\circ = 210^\circ$$

$$\angle ABC = \frac{1}{2} \text{ reflex } \angle AOC = \frac{1}{2} (210^\circ)$$

$$\angle ABC = 105^\circ$$

Answer 3.

BOC is the diameter of circle,

$$\therefore \angle BOC = 180^\circ$$

Since arc BC makes $\angle BOA$ at the centre and $\angle BAC$ on the remaining part of the circle

$$\therefore \angle BAC = \frac{1}{2} \angle BOC$$

$$\begin{aligned} \therefore \angle BAC &= \frac{1}{2}(180) \\ &= 90^\circ \end{aligned}$$

Answer 4.

Since arc BC makes $\angle BOC$ at the centre and $\angle BDC$ on the remaining part of the circle

$$\therefore \angle BDC = \frac{1}{2} \angle BOC = \frac{1}{2}(x) = \frac{1}{2}x$$

$$\angle BDC = \angle BEC = \angle \frac{x}{2} \text{ (angles in the same segment)}$$

$$\angle ADB = \angle AEP = 180 - \angle \frac{x}{2}$$

Also, $\angle BPC = \angle DPE = \angle y$ (vertically opposite)

In quadrilateral ADPE,

$$\angle ADP + \angle DEP + \angle PEA + \angle EAD = 360^\circ$$

$$180 - \angle \frac{x}{2} + \angle y + 180 - \angle \frac{x}{2} + z = 360^\circ$$

$$-\angle x + \angle y + \angle z = 0$$

$$\angle x = \angle y + \angle z$$

Answer 5.

: Let O be the centre of the circle on diameter AC of the circle

Since, EC make $\angle EOC$ at the centre and $\angle EBC$ on the remaining part of the circle

$$\begin{aligned}\therefore \angle EOC &= 2\angle EBC \\ &= 2(65) \\ &= 130^\circ\end{aligned}$$

In $\triangle EOC$,

$$\angle EOC + \angle OCE + \angle CEO = 180^\circ$$

$$130 + x + x = 180^\circ \text{ (OE = OC, } \therefore \angle OEC = \angle OCE = x)$$

$$2x = 50$$

$$x = 25$$

$$\angle OCE = \angle OEC = 25^\circ$$

Also, $\angle OCE = \angle CED = 25^\circ$ (alternate interior angles)

Answer 6.

$$\angle AOB = q$$

$$\text{Reflex } \angle AOB = 360 - q$$

Since arc AB subtends reflex $\angle AOB = (360 - q)^\circ$ at the centre and $\angle ACB$ on the remaining part of the circle.

$$\therefore \angle ACB = \frac{1}{2}(\text{reflex } \angle AOB)$$

If OACB is a parallelogram

$$\angle AOB = \angle ACB$$

$$q = p$$

$$360 - 2p = p$$

$$3p = 360$$

$$P = 120^\circ$$

Answer 7.

In $\triangle PQR$,

$$PQ = PR$$

$$\therefore \angle PQR = \angle PRQ = 35^\circ$$

$$\text{Also, } \angle PQR + \angle PRQ + \angle QPR = 180^\circ$$

$$35 + 35 + \angle QPR = 180$$

$$\angle QPR = 110^\circ$$

In cyclic quadrilateral PQSR,

$$\angle QPR + \angle QSR = 180$$

$$110 + \angle QSR = 180$$

$$\angle QSR = 70$$

Also, $\angle QSR = \angle QTR = 70^\circ$ (Angles in the same segment)

Answer 8.

In cyclic quadrilateral ABCD,

$$\angle BCD + \angle DAB = 180^\circ \text{ (Opposite angles of a cyclic quadrilateral)}$$

$$100 + \angle DAB = 180$$

$$\angle DAB = 80^\circ$$

In $\triangle DAB$,

$$\angle DAB + \angle ABD + \angle BDA = 180^\circ$$

$$80 + 70^\circ + \angle BDA = 180^\circ$$

$$\angle BDA = 30^\circ$$

Answer 9.

It is given that $\angle AOC = 100^\circ$

Arc AC subtends $\angle AOC$ at the centre of circle and $\angle APC$ on the circumference of the circle.

$$\therefore \angle AOC = 2\angle APC$$

$$\Rightarrow \angle APC = \frac{100^\circ}{2} = 50^\circ$$

It can be seen that APCB is a cyclic quadrilateral.

$$\therefore \angle APC + \angle ABC = 180^\circ \quad (\text{Sum of opposite angles of a cyclic quadrilateral})$$

$$\Rightarrow \angle ABC = 180^\circ - 50^\circ = 130^\circ$$

Now, $\angle ABC + \angle CBD = 180^\circ$ (Linear pair angles)

$$\Rightarrow \angle CBD = 180^\circ - 130^\circ = 50^\circ$$

Answer 10.

PQ is a diameter of the circle

$$\therefore \angle PRQ = 90^\circ \quad (\text{angle in a semi circle})$$

$$\angle RPQ = 40^\circ \quad (\text{given})$$

In $\triangle PQR$,

$$\angle PRQ + \angle RQP + \angle QPR = 180 \quad (\text{Angle sum property})$$

$$90 + \angle RQP + 40 = 180$$

$$\angle RQP = 50^\circ$$

Answer 11.

$$\angle B = 65^\circ \text{ (given)}$$

$$\angle B + \angle D = 180 \text{ (Opposite angles of a cyclic quadrilateral)}$$

$$65 + \angle D = 180$$

$$\angle D = 115$$

Also, $AB \parallel CD$

$$\therefore \angle B + \angle C = 180 \text{ (Sum of angles on same side of transversal)}$$


$$\angle C = 180 - 65 = 115$$

Again, $\angle A + \angle C = 180^\circ$ (Opposite angles of a cyclic quadrilateral)

$$\angle A = 180 - 115$$

$$= 65^\circ$$

Answer 12.



$$m \angle A = 3 (m \angle C)$$

$$\angle A + \angle C = 180 \text{ (Opposite angles of a cyclic quadrilateral)}$$

$$3\angle C + \angle C = 180$$

$$4\angle C = 180$$

$$\angle C = 45$$


$$m \angle A = 3(m \angle C)$$

$$= 3 \times 45$$

$$= 135$$

$$m \angle A = 135^\circ$$

Answer 13.



Arc AC subtends $\angle AOC$ at the centre of circle and $\angle ABC$ on the circumference of the circle.

$$\therefore \angle AOC = 2 \angle ABC \dots (1)$$

Similarly, $\angle BOD$ and $\angle DCB$ are the angles subtended by the arc DB at the centre and on the circumference of the circle respectively.

$$\therefore \angle BOD = 2 \angle DCB \dots (2)$$

Adding (1) and (2),

$$\angle AOC + \angle BOD = 2(\angle ABC + \angle DCB) \dots (3)$$

In triangle ECB,


$$\angle AEC = \angle ECB + \angle EBC = \angle DCB + \angle ABC$$

From (3),

$$\angle AOC + \angle BOD = 2\angle AEC$$

Hence Proved.

Answer 14.



If two chords of a circle intersect internally then the products of the lengths of segments are equal, then

$$AP \times BP = CP \times DP \quad \dots(1)$$

$$\text{But, } AP = CP \quad (\text{Given}) \quad \dots (2)$$

Then from (1) and (2), we have

$$BP = DP \quad \dots (3)$$

Adding (2) and (3),

$$AP + BP = CP + DP$$

$$\Rightarrow AB = CD$$

Hence Proved.

Answer 15.

$$\angle NYB = 50^\circ$$

$$\angle YNB = 20^\circ$$

In $\triangle NYB$,

$$20^\circ + \angle NBY + 50^\circ = 180^\circ$$

$$\Rightarrow \angle NBY = 180^\circ - 70^\circ = 110^\circ$$

Now, $\angle MAN = \angle NBM = 110^\circ$ (Angles in the same segment)

$\angle MON = 2\angle MAN$ (Arc MN subtends $\angle MON$ at centre and $\angle MAN$ at remaining part of the circle)

$$\angle MON = 2(110^\circ) = 220^\circ$$

$$\text{Reflex } \angle MON = 360^\circ - \angle MON$$

$$= 360^\circ - 220^\circ$$

$$\text{Reflex } \angle MON = 140^\circ.$$

Answer 16.

Given AP and AQ are diameters of circles with centre O and O^1 respectively.

$$\therefore \angle APB = 90^\circ \text{ ---(1) (Angle in a semicircle is a right angle)}$$

$$\text{Similarly, } \angle ABQ = 90^\circ \text{ ---(2)}$$

Adding (1) and (2)

$$\angle APB + \angle ABQ = 90^\circ + 90^\circ$$

$$\angle PBQ = 180^\circ$$

Hence, PBQ is a straight line

\therefore P, B and Q are collinear.

Answer 17.

AB and AC are diameters of circles with centre O and O^1 respectively.

$\therefore \angle ADB = 90^\circ$ ---(1) (Angle in a semi circle is a right angle)

Similarly, $\angle ADC = 90^\circ$ ---(2)


Adding (1) and (2)

$$\angle ADB + \angle ADC = 90 + 90$$

$$\angle BDC = 180^\circ$$

Hence, BDC is a straight line.

Answer 18.



$$BD = DC$$

AB be the diameter of the circle with centre O.

$\angle ADB = 90^\circ$ (Angles in a semicircle is a right angle)

$\angle ADC = 180$ (linear pair)

$$\angle BDC = 180 - 90 = 90^\circ$$

and $\triangle ADC$

given)


$\angle ADC = 90^\circ$ each)

(Common)

$\therefore \triangle ADC$ (RHS)

$\therefore BD = DC$ (CPCT)

Answer 19.



We know that the diagonals of a rhombus bisect each other at right angles.

$$\therefore \angle APD = 90^\circ \quad - \quad (1)$$

Also, AD is the diameter of the circle with centre O.

$$\therefore \angle APD = 90^\circ \quad - \quad (2) \quad (\text{Angle in semi circle})$$

From (1) and (2), we get, The circle drawn with any side of a rhombus as a diameter, passes through point of intersection of its diagonals.

Answer 20.

In cyclic quadrilateral ABCD,

$$\angle BAD + \angle BCD = 180^\circ \quad - \quad (1)$$

Opposite angles of cyclic quadrilateral

$$\text{Also, } \angle BCD + \angle BCE = 180^\circ \quad - \quad (2) \quad (\text{Linear pair})$$

From (1) and (2), we get

$$\angle BAD = \angle BCE$$


In $\triangle EBC$ and $\triangle EDA$

$$\angle BAD = \angle BCE \quad (\text{proved above})$$

$$\angle BEC = \angle DEA \quad (\text{common})$$

$$\therefore \triangle EBC \sim \triangle EDA \quad (\text{AA corollary})$$

Answer 21.



prove = $DE \parallel BC$

of: In cyclic quadrilateral DECB

$\angle C + \angle DBC = 80^\circ$ - (1) (Opposite angles of cyclic quadrilateral)

$\therefore \angle AED + \angle DEC = 80^\circ$ - (2) (Linear pair)

m (1) and (2), we get,

$\angle C = \angle AED$ - (3)

$AB = AC$ (given)


$\angle ABC = \angle ACB$ - (4) (angles opposite to equal sides of triangle)

m (3) and (4) $\Rightarrow \angle AED = \angle ACB$

\therefore these are corresponding angles.

$DE \parallel BC$

Answer 22.



In cyclic quadrilateral ABCD

$$\angle A + \angle C = 180^\circ$$

$$\frac{1}{2}\angle A + \frac{1}{2}\angle C = 90^\circ$$

$$\angle EAB + \angle BCF = 90^\circ \quad - (1) \quad (\text{AE bisects } \angle A; \text{CF bisects } \angle C)$$

Also,

$$\angle BCF = \angle BAF \quad - (2) \quad (\text{Angles in the same segment})$$

Using (1) in (2) we get,


$$\angle EAB + \angle BAF = 90^\circ$$

$$\angle FAE = 90^\circ$$

EF is the diameter of the circle,

\therefore angle in a semi circle is a right angle

Answer 24.



Since AD, BE and CF are bisectors of $\angle A$, $\angle B$ and $\angle C$ respectively.

$$\therefore \angle 1 = \angle 2 = \angle \frac{A}{2}$$

$$\angle 3 = \angle 4 = \angle \frac{B}{2}$$

$$\angle 5 = \angle 6 = \angle \frac{C}{2}$$

$$\angle ADE = \angle 3 \text{ ----(1)}$$

Also $\angle ADF = \angle 6$ ----(2) (angles in the same segment)

Adding (1) and (2)

$$\angle ADE + \angle ADF = \angle 3 + \angle 6$$

$$\angle D = \frac{1}{2}\angle B + \frac{1}{2}\angle C$$

$$\angle D = \frac{1}{2}(\angle B + \angle C) = \frac{1}{2}(180 - \angle A) \quad (\angle A + \angle B + \angle C = 180^\circ)$$


$$\angle D = 90 - \frac{1}{2}\angle A$$

Similarly,

$$\angle E = 90 - \frac{1}{2}\angle B, \angle F = 90 - \frac{1}{2}\angle C$$

Ex 17.3

Answer 1.



$OA \perp AP$ (radius is perpendicular to tangent at the point of contact)

In right $\triangle OAP$,

$$OP^2 = OA^2 + AP^2$$

$$AP^2 = 5^2 - 3^2$$


$$= 25 - 9$$

$$= 16$$

$$AP = 4\text{cm}$$

The length of the tangent is 4cm.

Answer 2.



$OA \perp AP$ (radius is perpendicular to tangent at the point of contact)

In right $\triangle OAP$,

$$OP^2 = OA^2 + AP^2$$

$$AP^2 = 17^2 - 15^2$$

$$= 289 - 225$$

$$= 64$$

$$AP = 8$$

The radius of the circle is 8cm.

Answer 3.

$$XP = XQ$$

$$AR = AP \quad \{\text{Length of tangents drawn from an external point to a circle are}$$


$$BR = BQ \quad \text{equal}\}$$

$$XP = XQ$$

$$XA + AP = XB + BR$$

$$XA + AR = XB + BR \quad \{\text{Using (1)}\}$$

Answer 4.




$$KA = KM \quad \text{---(1) } \{\text{Length of tangents drawn from an external point to a}$$

$$NM = NB \quad \text{circle are equal}\}$$

$$KN = KM + MN$$

$$KN = KA + BM \quad \{\text{Using (1)}\}$$

Answer 5.



$PA = PB = 20$ Units ---(1) {Length of tangents drawn from an external point
 $CQ = CA$ and $DQ = DB$ to a circle are equal}

Perimeter of $\triangle PCD$

$$\begin{aligned} &= PC + CD + PD \\ &= PC + CQ + QD + PD \text{ {Using (1)}} \\ &= PA + PB \\ &= 2PA \\ &= 2(20) \\ &= 40 \text{ Units} \end{aligned}$$

Answer 6.

To prove:- $AF + BD + CE = AE + BF + CD$

Proof:- $AF = AE$ ----(1) {Length of tangents drawn from an external point

$BD = BF$ ----(2) to a circle are equal }

$CE = CD$ ----(3)

Adding (1), (2) and (3)

$$AF + BD + CE = AE + BF + CD$$

Answer 7.

To prove:- $AQ = \frac{1}{2}$ (Perimeter of ΔABC)


Proof:- $BQ = BR = 5 - r$ ---(1)
 $PC = CR = 12 - r$ ---(2) } (1) (Lengths of tangents
drawn from an external point to a circle are equal)

$$\begin{aligned}\text{Perimeter of } \Delta ABC &= AB + BC + AC \\ &= AB + BP + PC + AC \\ &= AB + BQ + CR + AC \quad \text{Using (1)} \\ &= AQ + AR \\ &= 2 AQ\end{aligned}$$

$$2 AQ = \text{Perimeter of } \Delta ABC$$

$$AQ = \frac{1}{2} (\text{Perimeter of } \Delta ABC)$$

Answer 8.



Let the sides of parallelogram ABCD touch the circle at points P, Q, R and S.

$$AP = AS \quad - (1)$$

$$PB = BQ \quad - (2) \quad (\text{Length of tangents drawn from an external point to a circle are equal})$$

$$DR = DS \quad - (3)$$

$$RC = CQ \quad - (4)$$

Adding (1), (2), (3) and (4)

$$AP + PB + DR + RC = AS + BQ + DS + CQ$$


$$AB + CD = AD + BC$$

$$2 AB = 2 BC \Rightarrow AB = BC \quad (\text{Opposite sides of a parallelogram are equal})$$

$$\therefore AB = BC = CD = DA,$$

Hence, ABCD is a rhombus.

Answer 9.



To prove:- $QT = TR$

Proof: Let the circle touches sides PQ and PR at points A and B respectively.

$$\left. \begin{array}{l} PA = PB \\ AQ = QT \\ BR = TR \end{array} \right\} \text{(Lengths of tangents drawn from an external point to a circle are equal)}$$

Given, $PQ = PR$

$$PA + AQ = PB + BR$$

$$AQ = BR \quad \text{(Using (1))}$$

$$\Rightarrow QT = TR$$

Answer 10.

In $\triangle AOP = \triangle BOP$

$AP = PB$ (lengths of tangents drawn from an external point to a circle are equal)

$OP = PO$ (common)

$\angle PAO = \angle PBO = 90^\circ$ (radius is \perp to tangent at the point of contact)

$\therefore \triangle AOP \cong \triangle BOP$ (By RHS)

$\triangle AOP = \triangle BOP$ (By CPCT)

In $\triangle AMO$ and $\triangle BMO$

$AO = OB$ (radius of same circle)

$\angle MOA = \angle MOB$ (Proved above)

$OM = MO$ (Common)

$\therefore \triangle AMO \cong \triangle BMO$ (By CPCT)


$\angle AMO = \angle BMO$

$\angle AMO + \angle BMO = 180^\circ$

$\therefore 2 \angle AMO = 180^\circ$

$\angle BMO = \angle AMO = 90^\circ$

Hence, OP is the perpendicular bisector of AB.

Answer 11.

Let $DP = x$ cm

In $\triangle APC$ and $\triangle DPB$

$\angle PAC = \angle PDB$ (angles in the same segment)

$\angle APC = \angle DPB$ (vertically opposite angle)

$\therefore \triangle APC \sim \triangle DPB$ (AA corollary)

$$\frac{AP}{DP} = \frac{PC}{PB} \quad (\text{similar sides of similar triangles})$$

$$\frac{5}{x} = \frac{2.5}{3}$$

$$\Rightarrow x = \frac{15}{2.5} = \frac{150}{25} = 6 \text{ cm}$$

Answer 12.

Let $TQ = x$ cm

In $\triangle PTR$ and $\triangle STQ$

$\angle TPR = \angle TSQ$ (angles in the same segment)

$\angle PTR = \angle STQ$ (vertically opposite \angle 's)

$\therefore \triangle PTR \sim \triangle STQ$ (AA corollary)


$$\frac{PT}{ST} = \frac{TR}{TQ} \quad (\text{similar sides of similar triangles})$$

$$\frac{18}{6} = \frac{12}{x}$$

$$= x = 4$$

$$\Rightarrow TQ = 4 \text{ cm}$$

Answer 13.



Let $OD = OC = r$ (say)

$PO = 14.5$, $CP = r + 14.5$

$PD = 14.5 - r$

In $\triangle BPD$ and $\triangle CPA$

$\angle BPD = \angle APC$ (Common)

$\angle ABD + \angle DBP = 180^\circ$ ---(1) (Linear pair)

Also, $\angle ABD + \angle ACD = 180^\circ$ ---(2) (Opposite angles of a cyclic quadrilateral)

From (1) and (2)

$\angle DBP = \angle ACD$

$\therefore \triangle BPD \sim \triangle CPA$ (AA corollary)

$$\frac{8}{r + 14.5} = \frac{4.5 - r}{15}$$

$$120^\circ = 14.5^2 - r^2$$

$$r^2 = 210.25 - 120$$

$$r^2 = 90.25$$

$$r = 9.50$$

Radius of the circle is 9.5cm.

Answer 14.

Let $PT = x$ cm

Since, PAB is a secant and PT is a tangent to the given circle, we have,

$$PA \cdot PB = PT^2$$

$$\Rightarrow 4 \cdot 9 = PT^2$$

$$\Rightarrow PT^2 = 36$$

$$\Rightarrow PT = 6\text{cm}$$

Answer 15.

Let $PT = x$ cm

Since, PAB is a secant and PT is a tangent to the given circle, we have,

$$PA \cdot PB = PT^2$$

$$\Rightarrow 4 \cdot 9 = PT^2$$

$$\Rightarrow PT^2 = 36$$

$$\Rightarrow PT = 6\text{cm}$$

Answer 16.

Let $PT = x$ cm

Since, PAB is a secant and PT is a tangent to the given circle, we have,

$$PA \cdot PB = PT^2$$

$$\Rightarrow 4 \cdot 9 = PT^2$$

$$\Rightarrow PT^2 = 36$$

$$\Rightarrow PT = 6\text{cm}$$

Answer 17.

Let $OD = OC = x$ cm (radius of same circle)

Since, PCD is a secant and PT is a tangent to the given circle, we have,

$$PC \cdot PD = PT^2$$

$$3 \cdot (3 + 2x) = 6^2$$

$$\Rightarrow 9 + 6x = 36$$

$$\Rightarrow 6x = 27$$

$$\Rightarrow x = \frac{27}{6} = \frac{9}{2}$$

Radius of the circle is $\frac{9}{2}$ cm, diameter is 9cm

Answer 18.

$$R_1 = 4\text{cm}, R_2 = 12\text{cm}$$

$$PQ = 15\text{cm}$$

$$AB^2 = PQ^2 + (R_2 - R_1)^2$$

$$\Rightarrow AB^2 = 15^2 + (12 - 4)^2$$

$$\Rightarrow AB^2 = 225 + 64$$

$$\Rightarrow AB^2 = 289$$

$$\Rightarrow AB = 17\text{cm}$$

The diameter between the centre is 17cm

Answer 19.

To find: PQ

$$R_1 = 3\text{cm}, R_2 = 8\text{cm}$$

$$AB = 13\text{cm}$$

$$PQ^2 = AB^2 - (R_2 - R_1)^2$$

$$\Rightarrow PQ^2 = 13^2 - (8 - 3)^2$$

$$\Rightarrow PQ^2 = 169 - 25$$

$$\Rightarrow PQ^2 = 144$$

$$\Rightarrow PQ = 12\text{cm}$$

Length of direct common tangent is 12cm

Answer 21.

In right $\triangle BAC$,

$$BC^2 = AC^2 + AB^2$$

$$AC^2 = 13^2 - 5^2$$

$$AC^2 = 169 - 25$$

$$AC^2 = 144$$

$$AC = 12$$

Let $OP = OQ = r$ (say) (radius of same circle)

$\angle OQP = \angle OPQ = 90^\circ$ (radius is \perp to tangent at the point of contact)

$\therefore OPAQ$ is a square.

$$AQ = AP = OP = OQ = r$$

$$BQ = BR = 5 - r \text{ ---(1) \{length of tangents drawn from an external point}$$

$$PC = CR = 12 - r \text{ ---(2) \{tangents to a circle are equal\}}$$

$$BC = CR + BR$$

$$13 = 12 - r + 5 - r \text{ [from (1) and (2)]}$$

$$2r = 4$$

$$r = 2$$

Thus, radius of the circle is 2cm.

Answer 22.

$\angle OAP = \angle OBP = 90^\circ$ (radius is \perp to tangent at the point of contact)

In right $\triangle OAP$,

$$OP^2 = OA^2 + AP^2$$

$$OP^2 = 5^2 + 12^2 = 25 + 144 = 169$$

$$OP = 13\text{cm}$$

In right $\triangle OBP$,

$$OP^2 = OB^2 + BP^2$$

$$BP^2 = 13^2 - 3^2$$

$$BP^2 = 169 - 9 = 160$$

$$BP = 4\sqrt{10}\text{cm}$$