

## Rectilinear Figures

### Exercise 13.1

#### Question 1.

If two angles of a quadrilateral are  $40^\circ$  and  $110^\circ$  and the other two are in the ratio 3 : 4, find these angles.

#### Solution:

Sum of four angles of a quadrilateral =  $360^\circ$

Sum of two given angles =  $40^\circ + 110^\circ = 150^\circ$

$\therefore$  Sum of remaining two angles

$$= 360^\circ - 150^\circ = 210^\circ$$

Ratio in these angles = 3 : 4

$$\therefore \text{Third angle} = \frac{210^\circ \times 3}{3 + 4}$$

$$= \frac{210^\circ \times 3}{7} = 90^\circ$$

$$\text{and fourth angle} = \frac{210^\circ \times 4}{3 + 4}$$

$$= \frac{210^\circ \times 4}{7} = 120^\circ$$

#### Question 2.

If the angles of a quadrilateral, taken in order, are in the ratio 1 : 2 : 3 : 4, prove that it is a trapezium.


#### Solution:

In trapezium ABCD

$$\angle A : \angle B : \angle C : \angle D = 1 : 2 : 3 : 4$$

Sum of angles of the quad. ABCD =  $360^\circ$

Sum of the ratio's =  $1 + 2 + 3 + 4 = 10$



$$\therefore \angle A = \frac{360^\circ \times 1}{10} = 36^\circ$$

$$\angle B = \frac{360^\circ \times 2}{10} = 72^\circ$$

$$\angle C = \frac{360^\circ \times 3}{10} = 108^\circ$$

$$\angle D = \frac{360^\circ \times 4}{10} = 144^\circ$$

Now  $\angle A + \angle D = 36^\circ + 114^\circ = 180^\circ$

$\therefore \angle A + \angle D = 180^\circ$  and these are co-interior angles

$\therefore AB \parallel DC$

Hence ABCD is a trapezium.

### Question 3.


If an angle of a parallelogram is two-thirds of its adjacent angle, find the angles of the parallelogram.

**Solution:**

Here ABCD is a parallelogram.

Let  $\angle A = x^\circ$

then  $\angle B = \frac{2}{3} x^\circ$



(given condition an angle of a parallelogram is two third of its adjacent angle.)

$$\therefore \angle A + \angle B = 180^\circ$$

( $\because$  sum of adjacent angle in parallelogram is  $180^\circ$ )

$$\Rightarrow x^\circ + \frac{2}{3} x^\circ = 180^\circ \Rightarrow \frac{3x + 2x}{3} = 180$$

$$\Rightarrow \frac{5x}{3} = 180 \Rightarrow 5x = 180 \times 3$$

$$\Rightarrow x = \frac{180 \times 3}{5} \Rightarrow x = 36 \times 3 \Rightarrow x = 108$$

$$\therefore \angle A = 108^\circ$$

$$\angle B = \frac{2}{3} \times 108^\circ = 2 \times 36^\circ = 72^\circ$$

$$\angle B = \angle D = 72^\circ$$

(opposite angle in parallelogram is same)

Also,  $\angle A = \angle C = 108^\circ$

(opposite angles in parallelogram is same)




Hence, angles of parallelogram are  $108^\circ, 72^\circ, 108^\circ, 72^\circ$

**Question 4.**

(a) In figure (1) given below, ABCD is a parallelogram in which  $\angle DAB = 70^\circ$ ,  $\angle DBC = 80^\circ$ . Calculate angles CDB and ADB.


(b) In figure (2) given below, ABCD is a parallelogram. Find the angles of the  $\triangle AOD$ .

(c) In figure (3) given below, ABCD is a rhombus. Find the value of  $x$ .



**Solution:**

(a)  $\because$  ABCD is  $\parallel$  gm  
 $\therefore$  AB  $\parallel$  CD  
 $\angle$ ADB =  $\angle$ DBC (Alternate angles)  
 $\angle$ ADB =  $80^\circ$  [  $\because$   $\angle$ DBC =  $80^\circ$  (given)]



In  $\triangle$ ADB,

$\angle$ A +  $\angle$ ADB +  $\angle$ ABD =  $180^\circ$   
 (sum of all angles in a triangle is  $180^\circ$ )  
 $\Rightarrow 70^\circ + 80^\circ + \angle$ ABD =  $180^\circ$   
 $\Rightarrow 150^\circ + \angle$ ABD =  $180^\circ$   
 $\Rightarrow \angle$ ABD =  $180^\circ - 150^\circ$   
 $\Rightarrow \angle$ ABD =  $30^\circ$  ....(2)

Now  $\angle$ CDB =  $\angle$ ABD ....(3)  
 [  $\because$  AB  $\parallel$  CD, (Alternate angles)]

From (2) and (3)

$\angle$ CDB =  $30^\circ$  ....(4)

From (1) and (4)


$\angle$ CDB =  $30^\circ$  and  $\angle$ ABD =  $80^\circ$

(b) Given  $\angle BCO = 35^\circ$ ,  $\angle CBO = 77^\circ$

In  $\triangle BOC$

$$\angle BOC + \angle BCO + \angle CBO = 180^\circ$$

(Sum of all angles in a triangle is  $180^\circ$ )



$$\angle BOC = 180^\circ - 112^\circ = 68^\circ$$

Now in  $\parallel\text{gm ABCD}$ ,

We have,


$$\angle AOD = \angle BOC$$

(vertically opposite angles)

$$\therefore \angle AOD = 68^\circ$$

(c) ABCD is a rhombus  $\angle A + \angle B = 180^\circ$

(In rhombus sum of adjacent angle is  $180^\circ$ )



$$\Rightarrow 72^\circ + \angle B = 180^\circ \Rightarrow \angle B = 180^\circ - 72^\circ$$

$$\Rightarrow \angle B = 108^\circ$$

$$\therefore x = \frac{1}{2} \angle B = \frac{1}{2} \times 108^\circ = 54^\circ$$

### Question 5.




(a) In figure (1) given below, ABCD is a parallelogram with perimeter 40. Find the

values of  $x$  and  $y$ .

(b) In figure (2) given below. ABCD is a parallelogram. Find the values of  $x$  and  $y$ .

(c) In figure (3) given below. ABCD is a rhombus. Find  $x$  and  $y$ .

**Solution:**



(a) Since ABCD is a parallelogram.

$\therefore AB = CD$  and  $BC = AD$

$$\therefore 3x = 2y + 2 \quad (AB = CD)$$

$$3x - 2y = 2 \quad \dots(1)$$

Also,  $AB + BC + CD + DA = 40$

$$\Rightarrow 3x + 2x + 2y + 2 + 2x = 40$$

$$\Rightarrow 7x + 2y = 40 - 2 \Rightarrow 7x + 2y = 38 \quad \dots(2)$$

Adding (1) and (2),

$$3x - 2y = 2$$

$$7x + 2y = 38$$

$$\hline 10x = 40$$

$$\Rightarrow x = \frac{40}{10} = 4$$

Substituting the value of  $x$  in (1), we get

$$3 \times 4 - 2y = 2 \Rightarrow 12 - 2y = 2 \Rightarrow -2y = 2 - 12$$

$$\Rightarrow -2y = -10 \Rightarrow y = \frac{-10}{-2}$$



$$\therefore y = 5$$

Hence,  $x = 4, y = 5$  Ans.

(b) In parallelogram ABCD

$\angle A = \angle C$  (opposite angles are same in ||gm)

$$\Rightarrow 3x - 20^\circ = x + 40^\circ \Rightarrow 3x - x = 40^\circ + 20^\circ$$

$$\Rightarrow 2x = 60^\circ$$

$$\Rightarrow x = \frac{60^\circ}{2}$$

$$\Rightarrow x = 30^\circ \quad \dots(1)$$

Also,  $\angle A + \angle B = 180^\circ$

(sum of adjacent angles in ||gm is equal to  $180^\circ$ )

$$\Rightarrow 3x - 20^\circ + y + 15^\circ = 180^\circ$$

$$\Rightarrow 3x + y - 5^\circ = 180^\circ \Rightarrow 3x + y = 180^\circ + 5^\circ$$

$$\Rightarrow 3x + y = 185^\circ \Rightarrow 3 \times 30^\circ + y = 185^\circ$$

[Putting the value of  $x$  From (1)]

$$\Rightarrow 90^\circ + y = 185^\circ \Rightarrow y = 185^\circ - 90^\circ$$

$$\Rightarrow y = 95^\circ$$

Hence,  $x = 30^\circ, y = 95^\circ$

(c) ABCD is a rhombus

$$\therefore AB = AD$$

$$\Rightarrow 3x + 2 = 4x - 4$$

$$\Rightarrow 3x - 4x = -4 - 2$$

$$\Rightarrow -x = -6$$

$$\Rightarrow x = 6 \quad \dots(1)$$

In  $\triangle ABD$ ,

$$\therefore \angle BAD = 60^\circ, \text{ Also } AB = AD$$

$$\therefore \angle ADB = \angle ABD$$

$$\begin{aligned} \therefore \angle ADB &= \frac{180^\circ - \angle BAD}{2} \\ &= \frac{180^\circ - 60^\circ}{2} = \frac{120^\circ}{2} = 60^\circ \end{aligned}$$

$\triangle ABD$  is equilateral triangle

( $\because$  each angles of this triangle are  $60^\circ$ )

$$\therefore AB = BD$$

$$\Rightarrow 3x + 2 = y - 1 \Rightarrow 3 \times 6 + 2 = y - 1$$

[substituting the value of  $x$  from (1)]

$$\Rightarrow 18 + 2 = y - 1 \Rightarrow 20 = y - 1$$

$$\Rightarrow y - 1 = 20 \Rightarrow y = 20 + 1 \Rightarrow y = 21$$

Hence,  $x = 6$  and  $y = 21$

### Question 6.

The diagonals AC and BD of a rectangle  $\square ABCD$  intersect each other at P. If  $\angle ABD = 50^\circ$ , find  $\angle DPC$ .

**Solution:**


ABCD is a rectangle

Since diagonals of rectangle are same and bisect each other.

$$\therefore AP = BP$$

$$\therefore \angle PAB = \angle PBA$$

(equal sides have equal opposite angles)



$$\Rightarrow \angle PAB = 50^\circ \quad [\because \angle PBA = 50^\circ \text{ (given)}]$$

In  $\triangle APB$ ,

$$\angle APB + \angle ABP + \angle BAP = 180^\circ$$

$$\Rightarrow \angle APB + 50^\circ + 50^\circ = 180^\circ$$

$$\Rightarrow \angle APB = 180^\circ - 100^\circ$$

$$\Rightarrow \angle APB = 80^\circ \quad \dots(1)$$

$$\therefore \angle DPB = \angle APB \quad \dots(2)$$

(vertically opposite angles)

From (1) and (2)


$$\angle DPB = 80^\circ$$

**Question 7.**

(a) In figure (1) given below, equilateral triangle EBC surmounts square ABCD. Find angle BED represented by x.

(b) In figure (2) given below, ABCD is a rectangle and diagonals intersect at O. AC is produced to E. If  $\angle ECD = 146^\circ$ , find the angles of the  $\triangle AOB$ .

(c) In figure (3) given below, ABCD is rhombus and diagonals intersect at O. If  $\angle OAB : \angle OBA = 3:2$ , find the angles of the  $\triangle AOD$ .



**Solution:**

(a) Since  $EBC$  is an equilateral triangle  
 $EB = BC = EC$

$$\therefore EB = BC = EC \quad \dots(1)$$

Also,  $ABCD$  is a square

$$AB = BC = CD = AD \quad \dots(2)$$

From (1) and (2),

$$EB = EC = AB = BC = CD = AD \quad \dots(3)$$

In  $\triangle ECD$ ,

$$\angle ECD = \angle BCD + \angle ECB$$

( $BEC$  is an equilateral triangle)

$$\Rightarrow \angle ECD = 90^\circ + 60^\circ = 150^\circ \quad \dots(4)$$

Also,  $EC = CD$  [From (3)]

$$\therefore \angle DEC = \angle CDE \quad \dots(5)$$

$$\therefore \angle ECD + \angle DEC + \angle CDE = 180^\circ$$

(sum of all angles in a triangle is  $180^\circ$ )

$$\Rightarrow 150^\circ + \angle DEC + \angle DEC = 180^\circ$$

(using (4) and (5))

$$\Rightarrow 2\angle DEC = 180^\circ - 150^\circ \Rightarrow 2\angle DEC = 30^\circ$$

$$\Rightarrow \angle DEC = \frac{30^\circ}{2} \Rightarrow \angle DEC = 15^\circ \quad \dots(6)$$

Now  $\angle BEC = 60^\circ$  ( $BEC$  is an equilateral triangle)

$$\Rightarrow \angle BED + \angle DEC = 60^\circ \Rightarrow x^\circ + 15^\circ = 60^\circ$$

[From (6)]

$$\Rightarrow x = 60^\circ - 15^\circ \Rightarrow x = 45^\circ$$

Hence, value of  $x = 45^\circ$

(b) Since ABCD is a rectangle

$$\angle ECD = 146^\circ \quad (\text{given})$$

$\therefore$  ACE is a st. line

$$\therefore 146^\circ + \angle ACD = 180^\circ$$

(linear pair)

$$\Rightarrow \angle ACD = 180^\circ - 146^\circ$$

$$\Rightarrow \angle ACD = 34^\circ \quad \dots(1)$$

$$\therefore \angle CAB = \angle ACD \quad (\text{Alternate angles}) \quad \dots(2)$$

[ $\because$  AB  $\parallel$  CD]

From (1) and (2)

$$\Rightarrow \angle CAB = 34^\circ \Rightarrow \angle OAB = 34^\circ \quad \dots(3)$$

In  $\triangle AOB$

$$AO = OB$$

(In rectangle diagonals are same & bisect each other)

$$\Rightarrow \angle OAB = \angle OBA \quad \dots(4)$$

(equal sides have equal angles opposite to them)

From (3) and (4),

$$\angle OBA = 34^\circ \quad \dots(5)$$

$$\therefore \angle AOB + \angle OBA + \angle OAB = 180^\circ$$

(Sum of all angles in a triangle is  $180^\circ$ )

$$\Rightarrow \angle AOB + 34^\circ + 34^\circ = 180^\circ \quad [\text{using (3) and (5)}]$$

$$\Rightarrow \angle AOB + 68^\circ = 180^\circ$$

$$\Rightarrow \angle AOB = 180^\circ - 68^\circ \Rightarrow \angle AOB = 112^\circ$$

Hence,  $\angle AOB = 112^\circ$ ,  $\angle OAB = 34^\circ$

and  $\angle OBA = 34^\circ$

(c) Here ABCD is a rhombus and diagonals intersect at O.

and  $\angle OAB : \angle OBA = 3 : 2$

Let  $\angle OAB = 2x^\circ$

then  $\angle OBA = 2x^\circ$

We know that diagonals of rhombus intersect at right angles.

$\therefore \angle OAB = 90^\circ$  in  $\triangle AOB$

$\therefore \angle OAB + \angle OBA = 180^\circ$

$$\Rightarrow 90^\circ + 3x^\circ + 2x^\circ = 180^\circ \Rightarrow 90^\circ + 5x^\circ = 180^\circ$$

$$\Rightarrow 5x^\circ = 180^\circ - 90^\circ \Rightarrow x^\circ = \frac{90^\circ}{5}$$

$$\Rightarrow x^\circ = 18^\circ$$

$$\therefore \angle OAB = 3x^\circ = 3 \times 18^\circ = 54^\circ$$

$$\angle OBA = 2x^\circ = 2 \times 18^\circ = 36^\circ$$


and  $\angle AOB = 90^\circ$

### Question 8.


(a) In figure (1) given below, ABCD is a trapezium. Find the values of x and y.

(b) In figure (2) given below, ABCD is an isosceles trapezium. Find the values of x and y.


(c) In figure (3) given below, ABCD is a kite and diagonals intersect at O. If  $\angle DAB = 112^\circ$  and  $\angle DCB = 64^\circ$ , find  $\angle ODC$  and  $\angle OBA$ .



(1)



(2)



(3)

**Solution:**

(a) Given : ABCD is a trapezium

$$\angle A = x + 20^\circ, \angle B = y, \angle C = 92^\circ, \angle D = 2x + 10^\circ$$

Required : Value of  $x$  and  $y$ .

Since ABCD is a trapezium.

Sol.  $\angle B + \angle C = 180^\circ$

$$(\because AB \parallel DC)$$

$$\Rightarrow y + 92^\circ = 180^\circ$$

$$\Rightarrow y = 180^\circ - 92^\circ \Rightarrow y = 88^\circ$$

Also,  $\angle A + \angle D = 180^\circ$

$$\Rightarrow x + 20^\circ + 2x + 10^\circ = 180^\circ$$

$$\Rightarrow 3x + 30^\circ = 180^\circ$$

$$\Rightarrow 3x = 180^\circ - 30^\circ \Rightarrow 3x = 150^\circ$$

$$\Rightarrow x = \frac{150^\circ}{3} \Rightarrow x = 50^\circ$$

Hence, value of  $x = 50^\circ$  and  $y = 88^\circ$

(b) Given : ABCD is an isosceles trapezium

$$BC = AD$$

$$\angle A = 2x, \angle C = y, \angle D = 3x$$

Required : Value of  $x$  and  $y$ .

Sol. Since ABCD is a trapezium and  $AB \parallel DC$

$$\therefore \angle A + \angle D = 180^\circ$$

$$\Rightarrow 2x + 3x = 180^\circ$$

$$\Rightarrow 5x = 180^\circ$$

$$\Rightarrow x = \frac{180^\circ}{5} = 36^\circ$$

$$\therefore x = 36^\circ \quad \dots(1)$$

Also,  $AB = BC$  and  $AB \parallel DC$

$$\therefore \angle A + \angle C = 180^\circ \Rightarrow 2x + y = 180^\circ$$

$$\Rightarrow 2 \times 36^\circ + y = 180^\circ$$

[substituting the value of  $x$  from (1)]

$$\Rightarrow 72^\circ + y = 180^\circ \Rightarrow y = 180^\circ - 72^\circ$$

$$\Rightarrow y = 108^\circ$$



Hence, value of  $x = 72^\circ$  and  $y = 108^\circ$

(c) **Given :** ABCD is a kite and diagonals intersect at O.

$$\angle DAB = 112^\circ \text{ and}$$

$$\angle DCB = 64^\circ$$

**Required :**  $\angle ODC$  and  $\angle OBA$

**Sol. :**  $\therefore$  AC diagonal of kite ABCD

$$\therefore \angle DOC = \frac{64^\circ}{2} = 32^\circ$$

$$\therefore \angle DOC = 90^\circ$$

(diagonal of kites bisect at right angles)

In  $\triangle OCD$ ,

$$\begin{aligned} \therefore \angle ODC &= 180^\circ - (\angle DCO + \angle DOC) \\ &= 180^\circ - (32^\circ + 90^\circ) = 180^\circ - 122^\circ = 58^\circ \end{aligned}$$

In  $\triangle DAB$ ,

$$\angle OAB = \frac{112^\circ}{2} = 56^\circ$$

$$\angle OAB = 90^\circ$$

(diagonals of kites bisect at right angles)

In  $\triangle OAB$

$$\begin{aligned} \angle OBA &= 180^\circ - (\angle OAB + \angle AOB) \\ &= 180^\circ - (56^\circ + 90^\circ) = 180^\circ - 146^\circ = 34^\circ \end{aligned}$$

Hence,  $\angle ODC = 58^\circ$  and  $\angle OBA = 34^\circ$

### Question 9.

(i) Prove that each angle of a rectangle is  $90^\circ$ .


(ii) If the angle of a quadrilateral are equal, prove that it is a rectangle.

(iii) If the diagonals of a rhombus are equal, prove that it is a square.

(iv) Prove that every diagonal of a rhombus bisects the angles at the vertices.

**Solution:**

(i) A rectangle ABCD



**To prove :** Each angle of rectangle =  $90^\circ$

**Proof :**  $\because$  Opposite angles of a rectangle are equal

$$\therefore \angle A = \angle C \text{ and } \angle B = \angle D$$

$$\text{But } \angle A + \angle B + \angle C + \angle D = 360^\circ$$

(Sum of angles of a quadrilateral)

$$\Rightarrow \angle A + \angle B + \angle A + \angle B = 360^\circ$$

$$\Rightarrow 2(\angle A + \angle B) = 360^\circ$$

$$\Rightarrow \angle A + \angle B = \frac{360^\circ}{2} = 180^\circ$$

But  $\angle A + \angle B$  (Angles of a rectangle)


$$\therefore \angle A = \angle B = 90^\circ$$

Hence  $\angle A = \angle B = \angle C = \angle D = 90^\circ$

(ii) **Given :** In quadrilateral ABCD,

$$\angle A = \angle B = \angle C = \angle D$$

**To prove :** ABCD is a rectangle



**Proof:**  $\angle A = \angle B = \angle C = \angle D$

$$\Rightarrow \angle A = \angle C \text{ and } \angle B = \angle D$$

But these are opposite angles of the quadrilateral


$\therefore$  ABCD is a parallelogram

$$\because \angle A = \angle B = \angle C = \angle D = 90^\circ$$

Hence ABCD is a rectangle

Hence proved.

(iii) Given :  $\Delta ABCD$  is a rhombus in which  $AC = BD$



To Prove :  $ABCD$  is a square.

**Proof:** In  $\triangle ABC$  and  $\triangle DCB$ ,

$AB = DC$  (ABCD is a rhombus)

$BC = BC$  (common)

and  $AC = BD$  (given)

$\therefore \triangle ABC \cong \triangle DCB$

(By S.S.S. axiom of congruency)

$\therefore \angle ABC = \angle DCB$  (c.p.c.t.)

But these are angle made by transversal

BC on the same side of parallel

Lines AB and CD

$\therefore \angle ABC + \angle DCB = 180^\circ$

$\therefore \angle ABC = 90^\circ$

$\therefore$  ABCD is a square (Q.E.D.)

(iv) AC and BD bisect  $\angle A$ ,  $\angle C$  and  $\angle B$ ,  $\angle D$  respectively.

**Proof:**

**Statements**

**Reasons**

(1) In  $\triangle AOD$  and  $\triangle COD$  (each side of rhombus

$AD = CD$  is same)

$OD = OD$  (common)

$AO = OC$  (diagonal of rhombus bisect each other)

(2)  $\triangle AOD \cong \triangle COD$  [S.S.S.]

(3)  $\angle AOD = \angle COD$  [c.p.c.t.]

(4)  $\angle AOD + \angle COD = 180^\circ$  AOC is a st. line

$\Rightarrow \angle AOD + \angle COD = 180^\circ$  By (3)

$\Rightarrow 2 \angle AOD = 180^\circ \Rightarrow \angle AOD = \frac{180^\circ}{2}$

$$\Rightarrow \angle AOD = 90^\circ$$

$$(5) \quad \angle COD = 90^\circ \quad \text{By (3) and (4)}$$

$$\therefore OD \perp AC \Rightarrow BD \perp AC$$

$$(6) \quad \angle ADO = \angle CDO \quad \text{(c.p.c.t.)}$$

$$\Rightarrow OD \text{ bisect } \angle D \Rightarrow BD \text{ bisect } \angle D$$

Similarly we can prove that BD bisect  $\angle B$ .

and AC bisect the  $\angle A$  and  $\angle C$ .

**Question 10.**

ABCD is a parallelogram. If the diagonal AC bisects  $\angle A$ , then prove that:

(i) AC bisects  $\angle C$

(ii) ABCD is a rhombus

(iii)  $AC \perp BD$ .


**Solution:**

**Given :** In parallelogram ABCD, diagonal AC bisects  $\angle A$

**To prove :** (i) AC bisects  $\angle C$

(ii) ABCD is a rhombus

(iii)  $AC \perp BD$



**Proof :** (i)  $\because AB \parallel CD$  (opposite sides of a ||gm)

$\therefore \angle DCA = \angle CAB$  (Alternate angles)

Similarly  $\angle DAC = \angle DCB$

But  $\angle CAB = \angle DAC$  ( $\because AC$  bisects  $\angle A$ )

$\therefore \angle DCA = \angle ACB$

$\therefore AC$  bisects  $\angle C$

(iii)  $\because AC$  bisects  $\angle A$  and  $\angle C$

and  $\angle A = \angle C$

$\therefore ABCD$  is a rhombus

(iii)  $\because AC$  and  $BD$  are the diagonals of a rhombus

$\therefore AC$  and  $BD$  bisect each other at right angles

Hence  $AC \perp BD$

Hence proved.

**Question 11.**

(i) Prove that bisectors of any two adjacent angles of a parallelogram are at right angles.

(ii) Prove that bisectors of any two opposite angles of a parallelogram are parallel.


(iii) If the diagonals of a quadrilateral are equal and bisect each other at right

angles, then prove that it is a square.

**Solution:**

(i) Given AM bisect angle A and BM bisects angle B of || gm ABCD

To Prove :  $\angle AMB = 90^\circ$



**Proof :**

**Statements**

**Reasons**

(1)  $\angle A + \angle B = 180^\circ$

AD || BC and AB is the transversal.

(2)  $\frac{1}{2} (\angle A + \angle B) = \frac{180^\circ}{2}$

Multiplying both sides by  $\frac{1}{2}$

$\Rightarrow \frac{1}{2} \angle A + \frac{1}{2} \angle B = 90^\circ$

$\Rightarrow \angle MAB + \angle MBA = 90^\circ$  (i) AM bisects  $\angle A$

$\therefore \frac{1}{2} \angle A = \angle MAB$

(ii) BM bisects  $\angle B$

$\therefore \frac{1}{2} \angle B = \angle MBA$

(3) In  $\triangle AMB$ ,

$\angle AMB + \angle MAB$

$+ \angle MBA = 180^\circ$

Sum of angles of a triangle is equal to  $180^\circ$

$\Rightarrow \angle AMB + (\angle MAB$

$+ \angle MBA) = 180^\circ$

(4)  $\angle AMB + 90^\circ = 180^\circ$  From (2) and (3)


$\Rightarrow \angle AMB = 180^\circ - 90^\circ$

$\Rightarrow \angle AMB = 90^\circ$

**(Q.E.D.)**



(ii) Given : a || gm ABCD in which bisector AR of  $\angle A$  meets DC in R and bisector CQ of  $\angle C$  meets AB in Q.



To Prove :  $AR \parallel CQ$

Proof :

**Statements****Reasons**(1) In  $\parallel$  gm ABCD

$$\angle A = \angle C$$

opposite angles of  
 $\parallel$  gm are equal.

$$\Rightarrow \frac{1}{2} \angle A = \frac{1}{2} \angle C$$

multiplying both sides  
by  $\frac{1}{2}$ .

$$\Rightarrow \angle DAR = \angle BCQ$$
 (i) AR is bisector of

$$\frac{1}{2} \angle A = \angle DAR$$

(ii) CQ is bisector of

$$\frac{1}{2} \angle C = \angle BCQ$$

(2) In  $\triangle ADR$  and  $\triangle CBQ$ 

$$\angle DAR = \angle BCQ$$

Proved in (1)

$$AD = BC$$

opposite sides of  $\parallel$  gm  
ABCD are equal.

$$\angle D = \angle B$$

opposite sides of  $\parallel$  gm  
ABCD are equal.

$$\therefore \triangle ADR \cong \triangle CBQ$$

[By A.S.A. axiom of  
congruency]

$$\therefore \angle DRA = \angle BCQ$$

[c.p.c.t.]

$$(3) \angle DRA = \angle RAQ$$

Alternate angles

[DC  $\parallel$  AB,  $\therefore$  ABCD is a  $\parallel$  gm]

$$(4) \angle RAQ = \angle BCQ$$

From (2) and (3)


But these are corresponding angles

$$\therefore AR \parallel CQ$$

**(Q.E.D.)**

(iii) Given : In quadrilateral ABCD, diagonals AC and BD are equal and bisect each other at right angles

To prove : ABCD is a square



**Proof :** In  $\triangle AOB$  and  $\triangle COD$

$$AO = OC \quad (\text{given})$$

$$BO = OD \quad (\text{given})$$

$$\angle AOB = \angle COD \quad (\text{vertically opposite angles})$$

$$\therefore \triangle AOB \cong \triangle COD \quad (\text{SAS axiom})$$

$$\therefore AB = CD$$

$$\text{and } \angle OAB = \angle OCD$$

But these are alternate angles

$$\therefore AB \parallel CD$$

$\therefore$  ABCD is a parallelogram

$\therefore$  In a parallelogram, the diagonal bisect each other and are equal

$\therefore$  ABCD is a square


**Question 12.**

(i) If ABCD is a rectangle in which the diagonal BD bisect  $\angle B$ , then show that ABCD is a square.

(ii) Show that if the diagonals of a quadrilateral are equal and bisect each other at right angles, then it is a square.

**Solution:**

(i) ABCD is a rectangle and its diagonals AC bisects  $\angle A$  and  $\angle C$



**To prove :** ABCD is a square

**Proof :**  $\because$  Opposite sides of a rectangle are equal and each angle is  $90^\circ$

$\therefore$  AC bisects  $\angle A$  and  $\angle C$

$\therefore \angle 1 = \angle 2$  and  $\angle 3 = \angle 4$

But  $\angle A = \angle C = 90^\circ$

$\therefore \angle 2 = 45^\circ$  and  $\angle 4 = 45^\circ$

$\therefore AB = BC$  (Opposite sides of equal angles)

But  $AB = CD$  and  $BC = AD$

$\therefore AB = BC = CD = DA$

$\therefore$  ABCD is a square


(ii) In quadrilateral ABCD diagonals AC and BD are equal and bisect each other at right angle

**To prove :** ABCD is a square

**Proof :** In  $\triangle AOB$  and  $\triangle BOC$

$AO = CO$

(Diagonals bisect each other at right angle)




$OB = OB$  (Common)  
 $\angle AOB = \angle COB$  (Each  $90^\circ$ )  
 $\therefore \triangle AOB \cong \triangle BOC$  (SAS axiom)  
 $\therefore AB = BC$  ...*(i)*  
 Similarly in  $\triangle BOC$  and  $\triangle COD$   
 $OB = OD$   
 (Diagonals bisect each other at right angles)  
 $OC = OC$  (Common)  
 $\angle BOC = \angle COD$  (Each  $90^\circ$ )  
 $\therefore \triangle BOC \cong \triangle COD$   
 $\therefore BC = CD$  ...*(ii)*  
 From *(i)* and *(ii)*,  
 $AB = BC = CD = DA$   
 $\therefore ABCD$  is a square

**Question 13.**

P and Q are points on opposite sides AD and BC of a parallelogram ABCD such that PQ passes through the point of intersection O of its diagonals AC and BD. Show that PQ is bisected at O.

**Solution:**

ABCD is a parallelogram P and Q are the points on AB and DC. Diagonals AC and BD intersect each other at O.



**To prove :**  $OP = OQ$

**Proof :**  $\because$  Diagonals of  $\parallel\text{gm}$  ABCD bisect each other at O

$$\therefore AO = OC \text{ and } BO = OD$$

Now in  $\triangle AOP$  and  $\triangle COQ$

$$AO = OC \quad \text{(Proved)}$$

$$\angle OAP = \angle OCQ \quad \text{(Alternate angles)}$$

$$\angle AOP = \angle COQ \quad \text{(Vertically opposite angles)}$$

$$\therefore \triangle AOP \cong \triangle COQ \quad \text{(SAS axiom)}$$

$$\therefore OP = OQ$$

Hence O bisects PQ



#### Question 14.

(a) In figure (1) given below, ABCD is a parallelogram and X is mid-point of BC. The line AX produced meets DC produced at Q. The parallelogram ABPQ is completed. Prove that:

(i) the triangles ABX and QCX are congruent;


(ii)  $DC = CQ = QP$

(b) In figure (2) given below, points P and Q have been taken on opposite sides AB and CD respectively of a parallelogram ABCD such that  $AP = CQ$ . Show that AC and PQ bisect each other.



**Solution:**

(a) **Given :** ABCD is a parallelogram and X is mid-point of BC. The line AX produced meets DC produced at Q and ABPQ is a || gm.



**To Prove :** (i)  $\triangle ABX \cong \triangle QCX$

(ii)  $DC = CQ = QP$

**Proof :**

**Statements**

**Reasons**

(1) In  $\triangle ABX$  and  $\triangle QCX$

$BX = XC$

X is the mid-point of BC



$\angle AXB = \angle CXQ$  vertically opposite angles

$\angle XCQ = \angle XBA$  Alternate angle  
( $\because AB \parallel CQ$ )

$\therefore \triangle ABX \cong \triangle QCX$  [A.S.A.]

(2)  $\therefore CQ = AB$  [c.p.c.t.]

(3)  $AB = DC$  ABCD is a  $\parallel$  gm

(4)  $AB = QP$  ABPQ is a  $\parallel$  gm

(5)  $DC = CQ = QP$  From (2), (3) and (4)

(Q.E.D.)

(b) In  $\parallel$ gm ABCD,

P and Q are points on AB and CD respectively

PQ and AC intersect each other at O and AP

= CQ

**To prove :** AC and PQ bisect each other

*i.e.*,  $AO = OC$ ,  $PO = OQ$

**Proof :** In  $\triangle AOP$  and  $\triangle COQ$

$AP = CQ$  (Given)

$\angle AOP = \angle COQ$   
(Vertically opposite angles)

$\angle OAP = \angle OCQ$  (Alternate angles)

$\therefore \triangle AOP \cong \triangle COQ$  (AAS axiom)

$\therefore OP = OQ$  (c.p.c.t.)

and  $OA = OC$  (c.p.c.t.)


Hence AC and PQ bisect each other.

### Question 15.

ABCD is a square. A is joined to a point P on BC and D is joined to a point Q on AB. If  $AP = DQ$ , prove that AP and DQ are perpendicular to each other.

**Solution:**

**Given :** ABCD is a square. P is any point on BC and Q is any point on AB and these points are taken such that  $AP = DQ$ .



**To Prove :**  $AP \perp DQ$ .

**Proof :**

<b>Statements</b>	<b>Reasons</b>
(1) In $\triangle ABP$ and $\triangle ADQ$	
$AP = DQ$	given
$AD = AB$	ABCD is a square
$\angle DAQ = \angle ABP$	ABCD is a square and each $90^\circ$
$\therefore \triangle ABP \cong \triangle ADQ$	[R.H.S. axiom of congruency]
$\therefore \angle BAP = \angle ADQ$	
(2) But $\angle BAD = 90^\circ$	each angle of square is $90^\circ$
(3) $\angle BAD = \angle BAP + \angle PAD$	
$90^\circ = \angle BAP + \angle PAD$	From (2)
$\Rightarrow \angle BAP + \angle PAD = 90^\circ$	
$\Rightarrow \angle PAD + \angle ADQ = 90^\circ$	From (1)
(4) In $\triangle ADM$ ,	
$\angle MAD + \angle ADM + \angle AMD = 180^\circ$	Sum of all angles in a triangle is $180^\circ$
$\Rightarrow 90^\circ + \angle AMD = 180^\circ$	From (3)
$\Rightarrow \angle AMD = 180^\circ - 90^\circ$	
$\Rightarrow \angle AMD = 90^\circ$	
$\therefore DM \perp AP$	
$\Rightarrow DQ \perp AP$	
Hence, $AP \perp DQ$	<b>(Q.E.D.)</b>


**Question 16.**

If P and Q are points of trisection of the diagonal BD of a parallelogram ABCD, prove that  $CQ \parallel AP$ .

**Solution:**

**Given :** ABCD is a  $\parallel$  gm in which  $BP = PQ = QD$

**To Prove :**  $CQ \parallel AP$



**Proof :**

**Statements**

**Reasons**

(1) In  $\parallel$  gm ABCD

$AB = CD$

opposite sides of  $\parallel$  gm  
are equal.

(2) In  $\parallel$  gm ABCD

$AB = CD$

From (1)

and BD is the transversal

$\therefore \angle 1 = \angle 2$

Alternate angles.

(3) In  $\triangle ABP$  and  $\triangle DCQ$ ,

$AB = CD$

opposite sides of  $\parallel$  gm  
are equal.

$\angle 1 = \angle 2$

From (2)

$BP = QD$

given

$\therefore \triangle ABP \cong \triangle DCQ$

[S.A.S. axiom of  
congruency]

$\therefore AP = QC$

[c.p.c.t.]

Also  $\angle APB = \angle DQC$

[c.p.c.t.]

$\Rightarrow -\angle APB = -\angle DQC$  multiplying both  
sides by (-1)

$\Rightarrow 180^\circ - \angle APB$   
 $= 180^\circ - \angle DQC$

Adding  $180^\circ$  both sides

$\angle APQ = \angle CQP$

But these are alternate angles.


$\therefore AP \parallel QC \Rightarrow CQ \parallel AP$

**(Q.E.D.)**

**Question 17.**

A transversal cuts two parallel lines at A and B. The two interior angles at A are bisected and so are the two interior angles at B ; the four bisectors form a quadrilateral ABCD. Prove that

- (i) ABCD is a rectangle.
- (ii) CD is parallel to the original parallel lines.



**Solution:**

**Given :**  $LM \parallel PQ$  AB transversal line cut  $\angle M$  at A and PQ at B.

AC, AD, BC and BD is the bisector of  $\angle LAB$ ,  $\angle BAM$ ,  $\angle PAB$  and  $\angle ABQ$  respectively.

AC and BC intersect at C and AD and BD intersect at D. A quadrilateral ABCD is formed.

**To Prove :** (i) ABCD is a rectangle

(ii)  $CD \parallel LM$  and  $PQ$

**Proof :**

**Statements**

**Reasons**

(1)  $\angle LAB + \angle BAM = 180^\circ$  LAM is a st. line

$$\Rightarrow \frac{1}{2} (\angle LAB + \angle BAM) \text{ Multiplying both} \\ = 90^\circ \quad \text{sides by } \frac{1}{2}.$$

$$\Rightarrow \frac{1}{2} \angle LAB + \frac{1}{2} \angle BAM \\ = 90^\circ$$

$$\Rightarrow \angle 2 + \angle 3 = 90^\circ \quad \text{AC \& AD is bisector} \\ \text{of } \angle LAB \text{ \& } \angle BAM \\ \text{respectively.}$$

$$\therefore \frac{1}{2} \angle LAB = \angle 2$$

$$\text{and } \frac{1}{2} \angle LAB = \angle 3$$

$$\Rightarrow \angle CAD = 90^\circ$$

$$\Rightarrow \angle A = 90^\circ$$

$$(2) \text{ Similarly, } \angle PBA + \angle QBA = 180^\circ \quad \text{PBQ is a st. line}$$

$$\Rightarrow \frac{1}{2} \angle PBA + \frac{1}{2} \angle QBA \text{ Multiplying both} \\ \text{sides by } \frac{1}{2}$$

$$\Rightarrow \angle 6 + \angle 7 = 90^\circ \quad \therefore \text{BC and BD is} \\ \text{bisector of } \angle PBA \text{ and} \\ \angle QBA \text{ respectively.}$$

$$\frac{1}{2} \angle PBA = \angle 6$$

$$\frac{1}{2} \angle QBA = \angle 7$$

$$\Rightarrow \angle CBD = 90^\circ$$

$$\Rightarrow \angle B = 90^\circ$$

$$(3) \therefore \angle LAB + \angle ABP = 180^\circ$$

$$\frac{1}{2} \angle LAB + \frac{1}{2} \angle ABP$$

$$= 90^\circ$$

$$\angle 2 + \angle 6 = 90^\circ$$

Sum of co-interior angles is  $180^\circ$   
[LM  $\parallel$  PQ given]

Multiplying both

sides by  $\frac{1}{2}$

$\therefore$  AC and BC is bisector of  $\angle LAB$  and  $\angle PBA$  respectively.

$$\therefore \frac{1}{2} \angle LAB = \angle 2$$

$$\text{and } \frac{1}{2} \angle APB = \angle 6$$

(4) In  $\triangle ACB$

$$\angle 2 + \angle 6 + \angle C = 180^\circ \quad \text{Sum of all angles in a triangle is } 180^\circ$$

$$\Rightarrow (\angle 2 + \angle 6) + \angle C = 180^\circ$$

$$\Rightarrow 90^\circ + \angle C = 180^\circ \quad \text{using (6)}$$

$$\Rightarrow \angle C = 90^\circ$$

$$(5) \therefore \angle MAB + \angle ABQ = 180^\circ \quad \begin{array}{l} \text{Sum of co-interior angles is } 180^\circ \\ \text{[(LM} \parallel \text{PQ) given]} \end{array}$$

$$\Rightarrow \frac{1}{2} \angle MAB + \frac{1}{2} \angle ABQ = \frac{180^\circ}{2} \quad \begin{array}{l} \text{Multiplying both sides by } \frac{1}{2}. \end{array}$$

$$\Rightarrow \angle 3 + \angle 7 = 90^\circ. \quad \begin{array}{l} \therefore \text{AD and BD bisect the } \angle MAB \text{ and } \angle ABQ \\ \therefore \frac{1}{2} \angle MAB = \angle 3 \\ \text{and } \frac{1}{2} \angle ABQ = \angle 7 \end{array}$$

(6) In  $\triangle ADB$ ,

$$\therefore \angle 3 + \angle 7 + \angle D = 180^\circ \quad \text{Sum of all angles in a triangle is } 180^\circ$$

$$\Rightarrow (\angle 3 + \angle 7) + \angle D = 180^\circ$$

$$\Rightarrow 90^\circ + \angle D = 180^\circ \quad \text{From (5)}$$

$$\Rightarrow \angle D = 180^\circ - 90^\circ$$

$$\Rightarrow \angle D = 90^\circ$$

(7)  $\angle LAB + \angle BAM$  From (1) and (3)  
 $= \angle BAM = \angle ABP$

$\Rightarrow \frac{1}{2} \angle BAM = \frac{1}{2} \angle ABP$  Multiplying both  
sides by  $\frac{1}{2}$

$\Rightarrow \angle 3 = \angle 6$

$\therefore$  AD and BC is  
bisector of  $\angle BAM$  &  
 $\angle ABP$  respectively.

$\therefore \frac{1}{2} \angle BAM = \angle 3$   
and  $\frac{1}{2} \angle ABP = \angle 6$



Similarly  $\angle 2 = \angle 7$

(8) In  $\triangle ABC$  and  $\triangle ABD$

$\angle 2 = \angle 7$	From (7)
$AB = AB$	common
$\angle 6 = \angle 3$	From (7)
$\therefore \triangle ABC \cong \triangle ABD$	[By A.S.A. axiom of congruency]
$\therefore AC = DB$	[c.p.c.t.]
Also $CB = AD$	[c.p.c.t.]

(9)  $\angle A = \angle B = \angle C = \angle D$  From (1), (2), (4)  
 $= 90^\circ$  and (6)  
 $AC = DB$  Proved in (8)  
 $CB = AD$  Proved in (8)

$\therefore ABCD$  is a rectangle.

(10)  $\therefore ABCD$  is a rectangle From (9)  
 $OA = OD$  Diagonals of rectangle bisect each other.

(11) In  $\triangle AOD$   
 $OA = OD$  From (10)  
 $\therefore \angle 9 = \angle 3$  Angles opposite to equal sides are equal.

(12)  $\angle 3 = \angle 4$  AD bisects  $\angle MAB$

(13)  $\angle 9 = \angle 4$  From (11) and (12)

But these are alternate angles.

$\therefore OD \parallel LM$

$\Rightarrow CD \parallel LM$

Similarly we can prove that

$\angle 10 = \angle 8$

But these are alternate angles.

$\therefore OD \parallel PQ$

$\Rightarrow CD \parallel PQ$

(14)  $CD \parallel LM$  Proved in (13)  
 $CD \parallel PQ$  Proved in (19)  
**(Q.E.D.)**

**Question 18.**


In a parallelogram ABCD, the bisector of  $\angle A$  meets DC in E and  $AB = 2 AD$ . Prove that

(i) BE bisects  $\angle B$

(ii)  $\angle AEB =$  a right angle.

**Solution:**

**Given :** ABCD is a  $\parallel$  gm in which bisectors of angle A and B meet in E and  $AB = 2 AD$ .



**To Prove :** (i) BE bisects  $\angle B$

(ii)  $\angle AEB =$  a right angle *i.e.*  $\angle AEB = 90^\circ$

**Proof :**

**Statements**

**Reasons**

(1) In  $\parallel$  gm ABCD

$$\angle 1 = \angle 2$$

AD bisector of  $\angle A$ .

(2)  $AB \parallel DC$

and AE is the transversal

$$\therefore \angle 2 = \angle 3$$

(alternate angles)

(3)  $\angle 1 = \angle 2$

From (1) and (2)

(4) In  $\triangle ADE$

$$\angle 1 = \angle 3$$

Prove in (3),

$$\therefore DE = AD$$

Sides opposite equal angles are equal

$$\Rightarrow AD = DE$$

(5)  $AB = 2 AD$

given

$$\Rightarrow \frac{AB}{2} = AD$$

$$\Rightarrow \frac{AB}{2} = DE$$

using (4)

$$\Rightarrow \frac{DC}{2} = DE$$

$AB = DC$

( $\because$  opposite sides of  $\parallel$  gm are equal)

$\therefore$  E is the mid-point of DC

$\therefore DE = EC$

(6)  $AD = BC$  opposite sides of  
|| gm are equal.

(7)  $DE = BC$  From (4) and (6)

(8)  $EC = BC$  From (5) and (7)

(9) In  $\triangle BCE$

$EC = BC$  Proved in (8)

$\therefore \angle 6 = \angle 5$  Angles opposite  
equal sides are equal

(10)  $AB \parallel DC$   
and  $BE$  is the transversal

$\therefore \angle 4 = \angle 5$  Alternate angles.

(11)  $\angle 4 = \angle 6$  From (9) and (10)

$\therefore BE$  is bisector of  $\angle B$

(12)  $\angle A + \angle B = 180^\circ$  Sum of co-interior  
angles is equal to  
 $180^\circ$  ( $AD \parallel BC$ )

$\frac{1}{2} \angle A + \frac{1}{2} \angle B = \frac{180^\circ}{2}$  Multiplying both  
sides by  $\frac{1}{2}$

$\angle 2 + \angle 4 = 90^\circ$   $AE$  is bisector of  
 $\angle A$  and  $BE$  is  
bisector of  $\angle B$ .

(13) In  $\triangle APB$ ,

$\angle AEB + \angle 2 + \angle 4 = 180^\circ$

$\Rightarrow \angle AEB + 90^\circ = 180^\circ$  From (12)

$\Rightarrow \angle AEB = 180^\circ - 90^\circ$


$\Rightarrow \angle AEB = 90^\circ$

(Q.E.D.)

### Question 19.

$ABCD$  is a parallelogram, bisectors of angles  $A$  and  $B$  meet at  $E$  which lie on  $DC$ .  
Prove that  $AB$

**Solution:**



**Given :** ABCD is a parallelogram in which bisector of  $\angle A$  and  $\angle B$  meets DC in E

**To Prove :**  $AB = 2 AD$

**Proof :**

**Statements**

**Reasons**

(1) In parallelogram ABCD

$AB \parallel DC$

$$\angle 1 = \angle 5$$

Alternate angles  
( $\because$  AE is transversal)

$$(2) \angle 1 = \angle 2$$

AE is bisector of  $\angle A$  (given)

$$(3) \angle 2 = \angle 5$$

From (1) and (2)

In  $\triangle AED$ ,

$$DE = AD$$

equal angles have equal sides opposite to them.

$$(4) \angle 3 = \angle 6$$

Alternate angles

$$(5) \angle 3 = \angle 4$$

[ $\because$  BE is bisector of  $\angle B$  (given)]

$$(6) \angle 4 = \angle 6$$

In  $\triangle BCE$

$$BC = EC$$

$$(7) AD = BC$$

$$(8) AD = DE = EC$$

$$(9) AB = DC$$

$$AB = DE + EC$$

$$AB = AD + AD$$

$$AB = 2AD$$

From (4) and (5)

equal angles have  
equal sides oppo-  
site to them.

opposite sides of  
|| gm are equal.

From (3), (6) and (7)

opposite sides of  
|| gm are equal.

From (8)

**(Q.E.D.)**

**Question 20.**

ABCD is a square and the diagonals intersect at O. If P is a point on AB such that  $AO = AP$ , prove that  $3 \angle POB = \angle AOP$ .

**Solution:**

**Given :** ABCD is a square and the diagonals intersect at O. P is a point on AB such that  $AO = AP$ .

**To Prove :**  $\angle POB = \angle AOP$

**Proof :**

**Statements**

**Reasons**

(1) In square ABCD AC is a diagonal  $\therefore \angle CAB = 45^\circ$  make  $45^\circ$  with side-  
 $\Rightarrow \angle OAP = 45^\circ$

(2) In  $\triangle AOP$ .

$\angle OAP = 45^\circ$   
 $AO = AP$

From (1)  
equal side have a  
equal angles opposite  
to them.

$\therefore \angle AOP + \angle APO + \angle OAP = 180^\circ$  Sum of all angles in a triangle is  $180^\circ$

$\angle AOP + \angle AOP + 45^\circ = 180^\circ$

$2 \angle AOP = 180^\circ - 45^\circ$

$2 \angle AOP = 135^\circ$

$$\angle AOP = \frac{135^\circ}{2}$$

(3)  $\angle AOB = 90^\circ$       In square ABCD  
diagonals bisect at  
right angles.

$$\Rightarrow \angle AOP + \angle POB = 90^\circ$$

$$\Rightarrow \frac{135^\circ}{2} + \angle POB = 90^\circ \quad \text{From (2)}$$

$$\Rightarrow \angle POB = 90^\circ - \frac{135^\circ}{2}$$

$$\Rightarrow \angle POB = \frac{180^\circ - 135^\circ}{2}$$

$$\Rightarrow \angle POB = \frac{45^\circ}{2}$$

$$3 \angle POB = \frac{135^\circ}{2} \quad \text{Multiplying both}$$

sides by 3,

$$(4) \angle AOP = 3 \angle POB \quad \text{From (2) and (3)}$$

(Q.E.D.)

**Question 21.**


ABCD is a square. E, F, G and H are points on the sides AB, BC, CD and DA respectively such that  $AE = BF = CG = DH$ . Prove that EFGH is a square.

**Solution:**

**Given :** ABCD is a square in which E, F, G and H are points on AB, BC, CD and DA

Such that  $AE = BF = CG = DH$

EF, FG, GH and HE are joined



**To prove :** EFGH is a square

**Prove :**  $\because AE = BF = CG = DH$

$\therefore EB = FC = GD = HA$

Now in  $\triangle AEH$  and  $\triangle BFE$

$AE = BF$  (given)

$AH = EB$  (proved)

$\angle A = \angle B$  (each  $90^\circ$ )

$\therefore \triangle AEH \cong \triangle BFE$  (S.A.S. axiom)

$\therefore EH = EF$  (c.p.c.t.)

and  $\angle 4 = \angle 2$  (c.p.c.t.)

But  $\angle 1 + \angle 4 = 90^\circ$

$\therefore \angle 1 + \angle 2 = 90^\circ$  ( $\because \angle 4 = \angle 2$ )

$\therefore \angle HEF = 90^\circ$

Hence EFGH is a square.

Hence proved.

### Question 22.

(a) In the Figure (1) given below, ABCD and ABEF are parallelograms. Prove that

(i) CDFE is a parallelogram


(ii)  $FD = EC$

(iii)  $\triangle AFD = \triangle BEC$ .


(b) In the figure (2) given below, ABCD is a parallelogram, ADEF and AGHB are two squares. Prove that  $FG = AC$

**Solution:**





(1)



(2)

(a) Given : ABCD and ABEF are  $\parallel$  gms

To Prove :(i) CDEF is  $\parallel$  gm

(ii)  $FD = EC$

(iii)  $\triangle AFD \cong \triangle BEC$

**Proof :**

**Statements**

(1)  $DC \parallel AB$  and  $DC = AB$

(2)  $FE \parallel AB$  and  $FE = AB$

(3)  $DC \parallel FE$  and  $DC = FE$

$\therefore$  CDFE is a  $\parallel$  gm

It is a  $\parallel$  gm.

(4) CDFE is a  $\parallel$  gm

$FD = EC$

(5) In  $\triangle AFD$  and  $\triangle BEC$

$AD = BC$

$AF = BE$

**Reasons**

ABCD is a  $\parallel$  gm

ABEF is a  $\parallel$  gm

From (1) and (2)

If a pair of opposite sides of a quadrilateral are parallel and equal

opposite sides of  $\parallel$  gm CDFE are equal.

opposite sides  $\parallel$  gm

ABCD are equal.

opposite sides of  $\parallel$ gm ABEF are equal.

$$FD = EC$$

$$\therefore \triangle AFD \cong \triangle BEC$$

From (4)

[By S.S.S. axiom of congruency]

(Q.E.D.)

(b) **Given :** ABCD is a || gm, ADEF and AGHB are two squares.

**To Prove :**  $FG = AC$

**Proof :**

**Statements**

**Reasons**

$$(1) \angle FAG + 90^\circ + 90^\circ + \angle BAD = 360^\circ$$

At a point total angle is  $360^\circ$

$$\Rightarrow \angle FAG = 360^\circ - 90^\circ - 90^\circ - \angle BAD$$

$$\Rightarrow \angle FAG = 180^\circ - \angle BAD$$
 ABCD is a || gm

$$(2) \angle B + \angle BAD = 180^\circ$$

Sum of adjacent angle in ||gm is equal to  $180^\circ$

$$\Rightarrow \angle B = 180^\circ - \angle BAD$$

$$(3) \angle FAG = \angle B$$

From (1) and (2)

$$(4) \text{ In } \triangle AFG \text{ and } \triangle ABC$$

$$AF = BC$$

FADE and ABCD both are square on the same base DA.

Similarly  $AG = AB$

$$\angle FAG = \angle B$$

From (3)

$$\therefore \triangle AFG \cong \triangle ABC$$

[By S.A.S. axiom of congruency]

$$\therefore FG = AC$$

[c.p.c.t.]


(Q.E.D.)

### Question 23.

ABCD is a rhombus in which  $\angle A = 60^\circ$ . Find the ratio AC : BD.

**Solution:**

Let each side of the rhombus  $ABCD = a$   
 $\therefore \angle A = 60^\circ$



$\therefore \triangle ABD$  is an equilateral triangle

$$\therefore BD = AB = a$$

$\therefore$  The diagonals of a rhombus bisect each other at right angles,

$\therefore$  In right  $\triangle AOB$ ,

$$AO^2 + OB^2 = AB^2$$

$$\Rightarrow AO^2 = AB^2 - OB^2 = a^2 - \left(\frac{1}{2}a\right)^2$$

$$= a^2 - \frac{a^2}{4} = \frac{3}{4}a^2$$

$$\therefore AO = \sqrt{\frac{3}{4}a^2} = \frac{\sqrt{3}}{2}a$$

$$\text{But } AC = 2 AO = 2 \times \frac{\sqrt{3}}{2}a = \sqrt{3} a$$

$$\text{Now } AC : BD = \sqrt{3} a : a = \sqrt{3} : 1.$$

### Exercise 13.2


#### Question 1.

Using ruler and compasses only, construct the quadrilateral  $ABCD$  in which  $\angle BAD = 45^\circ$ ,  $AD = AB = 6\text{cm}$ ,  $BC = 3.6\text{cm}$ ,  $CD = 5\text{cm}$ . Measure  $\angle BCD$ .

**Solution:**

**Steps of construction :**

(i) draw a line segment  $AB = 6\text{cm}$



(ii) At A, draw a ray AX making an angle of  $45^\circ$  and cut off  $AD = 6\text{cm}$

(iii) With centre B and radius  $3.6\text{cm}$ , and with centre D and radius  $5\text{cm}$ , draw two arcs intersecting each other at C.

(iv) Join BC and DC,

ABCD is the required quadrilateral.

On measuring  $\angle BCD$ , it is  $60^\circ$ .


**Question 2.**

Draw a quadrilateral ABCD with  $AB = 6\text{cm}$ ,  $BC = 4\text{cm}$ ,  $CD = 4\text{cm}$  and  $\angle ABC = \angle BCD = 90^\circ$

**Solution:**

**Steps of construction :**

- (i) Draw a line segment  $BC = 4\text{cm}$ .
- (ii) At B and C draw rays  $BX$  and  $CY$  making an angle of  $90^\circ$  each



- (iii) From  $BX$ , cut off  $BA = 6\text{cm}$  and from  $CY$ , cut off  $CD = 4\text{cm}$
- (iv) Join  $AD$ ,

$ABCD$  is the required quadrilateral


**Question 3.**

Using ruler and compasses only, construct the quadrilateral  $ABCD$  given that  $AB = 5\text{ cm}$ ,  $BC = 2.5\text{ cm}$ ,  $CD = 6\text{ cm}$ ,  $\angle BAD = 90^\circ$  and the diagonal  $AC = 5.5\text{ cm}$ .

**Solution:**

**Steps of construction :**

- (i) Draw a line segment  $AB = 5\text{cm}$ .
- (ii) With centre A and radius  $5.5\text{ cm}$  and with centre B and radius  $2.5\text{ cm}$  draw arcs which intersect each other at C.
- (iii) Join AC and BC.



- (iv) at A, draw a ray AX making an angle of  $90^\circ$ .
  - (v) With centre C and radius  $6\text{cm}$ , draw an arc intersecting AX at D
  - (v) Join CD
- ABCD is the required quadrilateral.


**Question 4.**

Construct a quadrilateral ABCD in which  $AB = 3.3\text{ cm}$ ,  $BC = 4.9\text{ cm}$ ,  $CD = 5.8\text{ cm}$ ,  $DA = 4\text{ cm}$  and  $BD = 5.3\text{ cm}$ .

**Solution:**

**Steps of construction :**

- (i) Draw a line segment  $AB = 3.3$  cm
- (ii) With centre A and radius 4 cm, and with centre B and radius 5.3 cm, draw arcs intersecting each other at D.



- (iii) Join AD and BD.
- (iv) With centre B and radius 4.9 cm and with centre D and radius 5.8cm, draw arcs intersecting each other at C.
- (v) Join BC and DC.

ABCD is the required quadrilateral.


**Question 5.**

Construct a trapezium ABCD in which  $AD \parallel BC$ ,  $AB = CD = 3$  cm,  $BC = 5.2$ cm and  $AD = 4$  cm

**Solution:**

**Steps of construction :**

- (i) Draw a line segment  $BC = 5.2\text{cm}$
- (ii) From  $BC$ , cut off  $BE = AD = 4\text{cm}$
- (iii) With centre  $E$  and  $C$ , and radius  $3\text{ cm}$ , draw arcs intersecting each other at  $D$ .



- (iv) Join  $ED$  and  $CD$ .
- (v) With centre  $D$  and radius  $4\text{cm}$  and with centre  $B$  and radius  $3\text{ cm}$ , draw arcs intersecting each other at  $A$ .
- (vi) Join  $BA$  and  $DA$ .

$ABCD$  is the required trapezium.

**Question 6.**


Construct a trapezium  $ABCD$  in which  $AD \parallel BC$ ,  $\angle B = 60^\circ$ ,  $AB = 5\text{ cm}$ ,  $BC = 6.2\text{ cm}$  and  $CD = 4.8\text{ cm}$ .

**Solution:**



**Steps of construction.**

- (i) Draw a line segment  $BC = 6.2$  cm.
- (ii) At  $B$ , draw a ray  $BX$  making an angle of  $60^\circ$  and cut off  $AB = 5$ cm.
- (iii) From  $A$ , draw a line  $AY$  parallel to  $BC$ .



- (iv) With centre  $C$  and radius  $4.8$ cm, draw an arc which intersects  $AY$  at  $D$  and  $D'$ .
- (v) Join  $CD$  and  $CD'$

Then  $ABCD$  and  $ABCD'$  are the required two trapezium.


**Question 7.**

Using ruler and compasses only, construct a parallelogram  $ABCD$  with  $AB = 5.1$  cm,  $BC = 7$  cm and  $\angle ABC = 75^\circ$ .

**Solution:**

**Steps of construction.**


- (i) Draw a line segment  $BC = 7 \text{ cm}$ .
  - (ii) At  $B$ , draw a ray  $Bx$  making an angle of  $75^\circ$  and cut off  $AB = 5.1 \text{ cm}$ .
  - (iii) With centre  $A$  and radius  $7 \text{ cm}$  with centre  $C$  and radius  $5.1 \text{ cm}$ , draw arcs intersecting each other at  $D$ .
  - (iv) Join  $AD$  and  $CD$ .
- $ABCD$  is the required parallelogram.



**Question 8.**

Using ruler and compasses only, construct a parallelogram  $ABCD$  in which  $AB = 4.6 \text{ cm}$ ,  $BC = 3.2 \text{ cm}$  and  $AC = 6.1 \text{ cm}$ .

**Solution:**



- (i) Draw a line segment  $AB = 4.6$  cm
  - (ii) With centre A and radius 6.1 cm and with centre B and radius 3.2 cm, draw arcs intersecting each other at C.
  - (iii) Join AC and BC.
  - (iv) Again with centre A and radius 3.2 cm and with centre C and radius 4.6 cm, draw arcs intersecting each other at D.
  - (v) Join AD and CD.
- Then ABCD is the required parallelogram.

**Question 9.**


Using ruler and compasses, construct a parallelogram ABCD give that  $AB = 4$  cm,  $AC = 10$  cm,  $BD = 6$  cm. Measure BC.

**Solution:**

**Given :** AB = 4 cm, AC = 10 cm, BD = 6 cm

**Required :** (i) To construct a parallelogram ABCD.

(ii) Length of BC.



**Steps of Construction :**

1. Construct triangle OAB such that

$$OA = \frac{1}{2} \times AC = \frac{1}{2} \times 10 \text{ cm} = 5 \text{ cm}$$

$$OB = \frac{1}{2} \times BD = \frac{1}{2} \times 6 \text{ cm} = 3 \text{ cm}$$

(Since diagonals of || gm bisect each other) and AB = 4 cm.

2. Produce AO to C such that OA = OC = 5 cm

3. Produce BO to D such that OB = OD = 3 cm

4. Join AD, BC, and CD.

5. ABCD is the required parallelogram.

6. Measure BC which is equal to 7.2 cm.


**Question 10.**

Using ruler and compasses only, construct a parallelogram ABCD such that BC = 4 cm, diagonal AC = 8.6 cm and diagonal BD = 4.4 cm. Measure the side AB.

**Solution:**

**Given :**  $BC = 4$  cm, diagonal  $AC = 8.6$  cm and diagonal  $BP = 4.4$  cm

**Required :** (i) To construct a parallelogram  
(ii) Measurement the side AB.



**Steps of Construction :**

1. Construct triangle OBC such that

$$OB = \frac{1}{2} \times BD = \frac{1}{2} \times 4.4 \text{ cm} = 2.2 \text{ cm}$$

$$OC = \frac{1}{2} \times AC = \frac{1}{2} \times 8.6 \text{ cm} = 4.3 \text{ cm}$$

(Since diagonals of || gm bisect each other) and  $BC = 4$  cm

2. Produce BO to D such that  $BO = OD = 2.2$  cm

3. Produce CO to A such that  $CO = OA = 4.3$  cm

4. Join AB, AD and CD

5. ABCD is the required parallelogram

6. Measure the side AB,  $AB = 5.6$  cm

**Question 11.**


Use ruler and compasses to construct a parallelogram with diagonals 6 cm and 8 cm in length having given the acute angle between them is  $60^\circ$ . Measure one of the longer sides.

**Solution:**

**Given :** Diagonal AC = 6 cm. Diagonal BD = 8 cm  
 Angle between the diagonals =  $60^\circ$

**Required :** (i) To construct a parallelogram.

(ii) To measure one of longer side.



**Steps of Construction :**

1. Draw AC = 6 cm.
2. Find the mid-point O of AC.  
 ( $\therefore$  Diagonals of  $\parallel$  gm bisect each other)
3. Draw line POQ such that  $\angle POC = 60^\circ$  and

$$OB = OD = \frac{1}{2} BD = \frac{1}{2} \times 8 \text{ cm} = 4 \text{ cm.}$$

$\therefore$  From OP cut OD = 4 cm and from OQ cut OB = 4 cm.

4. Join AB, BC, CD and DA.
5. ABCD is the required parallelogram.
6. Measure the length of side AD = 6.1 cm.


**Question 12.**

Using ruler and compasses only, draw a parallelogram whose diagonals are 4 cm and 6 cm long and contain an angle of  $75^\circ$ . Measure and write down the length of one of the shorter sides of the parallelogram.

**Solution:**

**Steps of construction :**

- (i) Draw a line segment  $AC = 6\text{cm}$ .
- (ii) Bisect  $AC$  at  $O$ .
- (iii) At  $O$ , draw a ray  $XY$  making an angle of  $75^\circ$  at  $O$ .
- (iv) From  $OX$  and  $OY$ , cut off  $OD = OB = \frac{4}{2} = 2\text{ cm}$



- (v) Join  $AB$ ,  $BC$ ,  $CD$  and  $DA$   
Then  $ABCD$  is the required parallelogram  
On measuring one of the shorter sides,  
 $AB = CD = 3\text{cm}$ .


**Question 13.**

Using ruler and compasses only, construct a parallelogram  $ABCD$  with  $AB = 6\text{ cm}$ , altitude  $= 3.5\text{ cm}$  and side  $BC = 4\text{ cm}$ . Measure the acute angles of the parallelogram.

**Solution:**

**Given :**  $AB = 6$  cm Altitude =  $3.5$  cm and  $BC = 4$  cm.

**Required :** (i) To construct a parallelogram ABCD.  
(ii) To measure the acute angle of parallelogram.



**Steps of Construction :**

1. Draw  $AB = 6$  cm.
2. At B, draw  $BP \perp AB$ .
3. From BP, cut  $BE = 3.5$  cm = height of  $\parallel$  gm.
4. Through E draw QR parallel to AB.
5. With B as centre and radius  $BC = 4$  cm draw an arc which cuts QR at C.
6. Since opposite sides of  $\parallel$  gm are equal  
 $\therefore AD = BC = 4$  cm.  
 $\therefore$  With A as centre and radius =  $4$  cm draw an arc which cut QR at D.
7.  $\therefore$  ABCD is the required parallelogram.
8. To measure the acute angle of parallelogram which is equal to  $61^\circ$ .

**Question 14.**

The perpendicular distances between the pairs of opposite sides of a parallelogram ABCD are  $3$  cm and  $4$  cm and one of its angles measures  $60^\circ$ . Using ruler and compasses only, construct ABCD.


**Solution:**



**Given :**  $\angle BAD = 60^\circ$

height be 3 cm and 4 cm from AB and BC respectively (say)

**Required :** To construct a parallelogram ABCD.



**Steps of Construction :**

1. Draw a st. line PQ, take a point A on it.
2. At A, construct  $\angle QAF = 60^\circ$ .
3. At A, draw  $AE \perp PQ$  from AE cut off  $AN = 3\text{cm}$
4. Through N draw a st. line parallel to PQ to meet AF at D.
5. At A, draw  $AG \perp AD$ , from AG cut off  $AM = 4\text{ cm}$ .
6. Through M, draw a st. line parallel to AD to meet AQ in B and ND in C. Then ABCD is the required parallelogram.


**Question 15.**

Using ruler and compasses, construct a rectangle ABCD with  $AB = 5\text{cm}$  and  $AD = 3\text{ cm}$ .

**Solution:**

**Steps of construction :**

1. Draw a st. line  $AB = 5\text{cm}$
2. At A and B construct  $\angle XAB$  and  $\angle YBA = 90^\circ$ .
3. From A and B cut off  $AC$  and  $BD = 3\text{cm}$  each
4. Join  $CD$
5.  $ABCD$  is the required rectangle



**Question 16.**

Using ruler and compasses only, construct a rectangle each of whose diagonals measures 6cm and the diagonals intersect at an angle of  $45^\circ$ .

**Solution:**

**Steps of construction.**

- (i) Draw a line segment  $AC = 6\text{cm}$
- (ii) Bisect it at O
- (iii) At O, draw a ray XY making an angle of  $45^\circ$  at O.
- (iv) From XY, cut off

$$OB = OD = \frac{6}{2} = 3\text{ cm each}$$

- (v) Join  $AB, BC, CD$  and  $DA$

Then  $ABCD$  is the required rectangle.


**Question 17.**

Using ruler and compasses only, construct a square having a diagonal of length 5cm. Measure its sides correct to the nearest millimeter.

**Solution:**

**Steps of construction :**

- (i) Draw a line segment  $AC = 5\text{cm}$
- (ii) Draw its perpendicular bisector  $XY$  bisecting it at  $O$



- (iii) From  $XY$ , cut off

$$OB = OD = \frac{5}{2} = 2.5 \text{ cm}$$

- (iv) Join  $AB, BC, CD$  and  $DA$ .

$ABCD$  is the required square

On measuring its sides,

each side =  $3.6 \text{ cm}$  (approximately)


**Question 18.**

Using ruler and compasses only construct A rhombus  $ABCD$  given that  $AB = 5\text{cm}$ ,  $AC = 6\text{cm}$  measure  $\angle BAD$ .

**Solution:**

**Steps of construction.**

(i) Draw a line segment  $AB = 5\text{cm}$



(ii) With centre A and radius 6cm, with centre B and radius 5cm, draw arcs intersecting each other at C.

(iii) Join AC and BC

(iv) With centre A and C and radius 5cm, draw arcs intersecting each other at D

(v) Join AD and CD.

Then ABCD is a rhombus

On measuring,  $\angle BAD = 106^\circ$

**Question 19.**


Using ruler and compasses only, construct rhombus ABCD with sides of length 4cm and diagonal AC of length 5 cm. Measure  $\angle ABC$ .

**Solution:**

**Steps of construction :**

- (i) Draw a line segment  $AC = 5\text{cm}$
- (ii) With centre  $A$  and  $C$  and radius  $4\text{cm}$ , draw arcs intersecting each other above and below  $AC$  at  $D$  and  $B$ .
- (iii) Join  $AB$ ,  $BC$ ,  $CD$  and  $DA$

$ABCD$  is the required rhombus.



**Question 20.**


Construct a rhombus  $PQRS$  whose diagonals  $PR$  and  $QS$  are  $8\text{cm}$  and  $6\text{cm}$  respectively.

**Solution:**

**Steps of construction :**

- (i) Draw a line segment  $PR = 8\text{cm}$
- (ii) Draw its perpendicular bisector  $XY$  intersecting it at  $O$ .
- (iii) From  $XY$ , cut off  $OQ = OS$

$$= \frac{6}{2} = 3\text{cm each.}$$



- (iv) Join  $PQ, QR, RS$  and  $SP$   
Then  $PQRS$  is the required rhombus.


**Question 21.**

Construct a rhombus  $ABCD$  of side  $4.6\text{ cm}$  and  $\angle BCD = 135^\circ$ , by using ruler and compasses only.

**Solution:**

**Steps of construction :**

- (i) Draw a line segment  $BC = 4.6$  cm.
- (ii) At  $C$ , draw a ray  $CX$  making an angle of  $135^\circ$  and cut off  $CD = 4.6$  cm.



- (iii) With centres  $B$  and  $D$ , and radius  $4.6$  cm draw arcs intersecting each other at  $A$ .
  - (iv) Join  $BA$ ,  $DA$ .
- Then  $ABCD$  is the required rhombus.


**Question 22.**

Construct a trapezium in which  $AB \parallel CD$ ,  $AB = 4.6$  cm,  $\angle ABC = 90^\circ$ ,  $\angle DAB = 120^\circ$  and the distance between parallel sides is  $2.9$  cm.

**Solution:**

**Steps of construction :**

- (i) Draw a line segment  $AB = 4.6$  cm
- (ii) At B, draw a ray  $BZ$  making an angle of  $90^\circ$  and cut off  $BC = 2.9$  cm (distance between  $AB$  and  $CD$ )



- (iii) At C, draw a parallel line  $XY$  to  $AB$ .
- (iv) At A, draw a ray making an angle of  $120^\circ$  meeting  $XY$  at  $D$ .

Then  $ABCD$  is the required trapezium.

**Question 23.**


Construct a trapezium  $ABCD$  when one of parallel sides  $AB = 4.8$  cm, height =  $2.6$  cm,  $BC = 3.1$  cm and  $AD = 3.6$  cm.



**Solution:**

**Steps of construction :**

(i) Draw a line segment  $AB = 4.8\text{cm}$



(ii) At A draw a ray AZ making an angle of  $90^\circ$  and cut off  $AL = 2.6\text{cm}$ .

(iii) At L, draw a line XY parallel to AB.

(iv) With centre A and radius  $3.6\text{cm}$  and with centre B and radius  $3.1\text{ cm}$ , draw arcs intersecting XY at D and C respectively.

(iv) Join AD, BC

Then ABCD is the required trapezium.


**Question 24.**

Construct a regular hexagon of side  $2.5\text{ cm}$ .

**Solution:**

**Given :** Each side of regular Hexagon = 2.5 cm

**Required :** To construct a regular Hexagon.



**Steps of Construction :**

1. With O as centre and radius = 2.5 cm, draw a circle.
2. Take any point A on the circumference of circle.
3. With A as centre and radius equal to 2.5 cm, draw an arc which cuts the circumference in B.
4. With B as centre and radius = 2.5 cm, draw an arc which circumference of circle at C.
5. With C as centre and radius = 2.5 cm draw an arc which cuts circumference of circle at D.
6. With D as centre and radius = 2.5 cm draw an arc which cuts circumference of circle at E.
7. With E as centre and radius = 2.5 cm draw an arc which cuts circumference of circle at F.
8. Join AB, BC, CD, DE, EF and FA.
9. ABCDEF is the required Hexagon.

**Multiple Choice Questions**

Choose the correct answer from the given four options (1 to 12):

**Question 1.**

Three angles of a quadrilateral are  $75^\circ$ ,  $90^\circ$  and  $75^\circ$ . The fourth angle is

- (a)  $90^\circ$
- (b)  $95^\circ$
- (c)  $105^\circ$
- (d)  $120^\circ$

**Solution:**

Sum of 4 angles of a quadrilateral =  $360^\circ$  Sum of three angles =  $75^\circ + 90^\circ + 75^\circ = 240^\circ$

Fourth angle =  $360^\circ - 240^\circ = 120^\circ$  (d)

**Question 2.**

A quadrilateral ABCD is a trapezium if

- (a)  $AB = DC$
- (b)  $AD = BC$
- (c)  $\angle A + \angle C = 180^\circ$
- (d)  $\angle B + \angle C = 180^\circ$

**Solution:**

A quadrilateral ABCD is a trapezium if  $\angle B + \angle C = 180^\circ$   
(Sum of co-interior angles) (d)

**Question 3.**

If PQRS is a parallelogram, then  $\angle Q - \angle S$  is equal to

- (a)  $90^\circ$
- (b)  $120^\circ$
- (c)  $0^\circ$
- (d)  $180^\circ$

**Solution:**

PQRS is a parallelogram  $\angle Q - \angle S = 0$   
( $\because$  Opposite angles of a parallelogram, are equal) (c)


**Question 4.**

A diagonal of a rectangle is inclined to one side of the rectangle at  $25^\circ$ . The acute angle between the diagonals is

- (a)  $55^\circ$
- (b)  $50^\circ$
- (c)  $40^\circ$
- (d)  $25^\circ$

**Solution:**

In a rectangle a diagonal is inclined to one side of the rectangle is  $25^\circ$



*i.e.*  $\angle OAB = 25^\circ$

But  $OA = OB$

$\therefore \angle OBA = 25^\circ$

But Ext.  $\angle COB = \angle OAB + \angle OBA$   
 $= 25^\circ + 25^\circ = 50^\circ$

(c)

**Question 5.**

ABCD is a rhombus such that  $\angle ACB = 40^\circ$ . Then  $\angle ADB$  is

- (a)  $40^\circ$
- (b)  $45^\circ$
- (c)  $50^\circ$
- (d)  $60^\circ$

**Solution:**


**Question 6.**

The diagonals AC and BD of a parallelogram ABCD intersect each other at the point O. If  $\angle DAC = 32^\circ$  and  $\angle AOB = 70^\circ$ , then  $\angle DBC$  is equal to

- (a)  $24^\circ$
- (b)  $86^\circ$
- (c)  $38^\circ$
- (d)  $32^\circ$

**Solution:**

Diagonals AC and BD of parallelogram ABCD intersect each other at O



$$\angle DAC = 32^\circ, \angle AOB = 70^\circ$$

$$\angle ADO = 70^\circ - 32^\circ \quad (\because \text{Ext. } \angle AOB = 70^\circ)$$

$$= 38^\circ$$

But  $\angle DBC = \angle ADO$  or  $\angle ADB$

(Alternate angles)

$$\therefore \angle DBC = 38^\circ \quad \text{(c)}$$

**Question 7.**

If the diagonals of a square ABCD intersect each other at O, then  $\triangle OAB$  is


- (a) an equilateral triangle
- (b) a right angled but not an isosceles triangle
- (c) an isosceles but not right angled triangle
- (d) an isosceles right angled triangle

**Solution:**

Diagonals of square ABCD intersect each other at O

( $\because$  Diagonals of a square bisect each other at right angles)

( $\because \angle AOB = 90^\circ$  and  $AO = BO$ )



$\triangle OAB$  is an isosceles.

(d)

**Question 8.**

If the diagonals of a quadrilateral PQRS bisect each other, then the quadrilateral PQRS must be a

- (a) parallelogram
- (b) rhombus
- (c) rectangle
- (d) square

**Solution:**

Diagonals of a quadrilateral PQRS bisect each other, then quadrilateral must be a parallelogram.

( $\because$  A rhombus, rectangle and square are also parallelogram) (a)

**Question 9.**

If the diagonals of a quadrilateral PQRS bisect each other at right angles, then the quadrilateral PQRS must be a

- (a) parallelogram
- (b) rectangle
- (c) rhombus
- (d) square

**Solution:**

Diagonals of quadrilateral PQRS bisect each other at right angles, then quadrilateral PQRS must be a rhombus.

( $\because$  Square is also a rhombus with each angle equal to  $90^\circ$ ) (c)

**Question 10.**

Which of the following statement is true for a parallelogram?

- (a) Its diagonals are equal.
- (b) Its diagonals are perpendicular to each other.

- (c) The diagonals divide the parallelogram into four congruent triangles.  
 (d) The diagonals bisect each other.

**Solution:**

For a parallelogram the statement 'The diagonals bisect each other' is true. **(d)**

**Question 11.**

Which of the following is not true for a parallelogram?

- (a) opposite sides are equal  
 (b) opposite angles are equal  
 (c) opposite angles are bisected by the diagonals  
 (d) diagonals bisect each other

**Solution:**

The statement that in a parallelogram, the opposite angles are bisected by the diagonals, is not true in each case. **(c)**

**Question 12.**

A quadrilateral in which the diagonals are equal and bisect each other at right angles is a

- (a) rectangle which is not a square  
 (b) rhombus which is not a square  
 (c) kite which is not a square  
 (d) square

**Solution:**

In a quadrilateral, if diagonals are equal and bisect each other at right angles, it is a square. **(d)**

**Chapter Test**

**Question P.Q.**

The interior angles of a polygon add up to  $4320^\circ$ . How many sides does the polygon have?

**Solution:**

$$\begin{aligned} & \text{Sum of interior angles of a polygon} \\ &= (2n - 4) \times 90^\circ \\ \Rightarrow & 4320^\circ = (2n - 4) \times 90^\circ \\ \Rightarrow & \frac{4320^\circ}{90^\circ} = (2n - 4) \Rightarrow \frac{432}{9} = 2n - 4 \\ \Rightarrow & 48 = 2n - 4 \Rightarrow 48 + 4 = 2n \Rightarrow 52 = 2n \\ \Rightarrow & 2n = 52 \Rightarrow n = \frac{52}{2} = 26 \end{aligned}$$

Hence, the polygon has 26 sides.

**Question P.Q.**

If the ratio of an interior angle to the exterior angle of a regular polygon is 5:1, find the number of sides.

**Solution:**

The ratio of an interior angle to the exterior angle of a regular polygon = 5 : 1

$$\Rightarrow \frac{(2n-4) \times 90^\circ}{n} : \frac{360}{n} = 5 : 1$$

$$\Rightarrow (2n-4) \times 90^\circ : 360 = 5 : 1$$

$$\Rightarrow \frac{(2n-4) \times 90^\circ}{360} = \frac{5}{1} \Rightarrow \frac{2n-4}{4} = \frac{5}{1}$$

$$\Rightarrow 2n-4 = 5 \times 4 \Rightarrow 2n-4 = 20$$

$$\Rightarrow 2n = 20 + 4 \Rightarrow 2n = 24 \Rightarrow n = \frac{24}{2}$$

$$\Rightarrow n = 12$$

Hence, number of sides of regular polygon = 12.

**Question P.Q.**

In a pentagon ABCDE, BC || ED and  $\angle B : \angle A : \angle E = 3:4:5$ . Find  $\angle A$ .

**Solution:**

$\therefore BC \parallel ED$

$\therefore \angle C + \angle D = 180^\circ$  (Co-interior angles)


But  $\angle A + \angle B + \angle C + \angle D + \angle E = 540^\circ$

$\therefore \angle A + \angle B + \angle E = 540^\circ - 180^\circ = 360^\circ$

$\Rightarrow \angle A + \angle B + \angle E = 540^\circ - 180^\circ = 360^\circ$

But  $\angle B : \angle A = \angle E = 3 : 4 : 5$

Let  $\angle B = 3x, \angle A = 4x$  and  $\angle E = 5x$




$$\therefore 3x + 4x + 5x = 360^\circ \Rightarrow 12x = 360^\circ$$

$$\Rightarrow x = \frac{360^\circ}{12} = 30^\circ$$

$$\therefore A = 4x = 4 \times 30^\circ = 120^\circ \text{ Ans.}$$

**Question 1.**

In the given figure, ABCD is a parallelogram. CB is produced to E such that BE=BC. Prove that AEBD is a parallelogram.





**Solution:**

In the figure, ABCD is a ||gm side CB is produced to E such that BE = BC

BD and AE are joined

**To prove :** AEBC is a parallelogram

**Proof :** In  $\triangle AEB$  and  $\triangle BDC$

EB = BC (Given)

$\angle ABE = \angle DCB$  (Corresponding angles)

AB = DC (Opposite sides of ||gm)

$\therefore \triangle AEB \cong \triangle BDC$  (SAS axiom)

$\therefore AE = DB$  (c.p.c.t.)

But AD = CB = BE (Given)

$\therefore$  The opposite sides are equal and  $\angle AEB = \angle DCB$  (c.p.c.t.)

But these are corresponding angle

$\therefore$  AEBC is a parallelogram

**Question 2.**


In the given figure, ABC is an isosceles triangle in which AB=AC. AD bisects exterior angle PAC and CD || BA. Show that

(i)  $\angle DAC = \angle BCA$

(ii) ABCD is a parallelogram.

**Solution:**

**Given :** In isosceles  $\triangle ABC$ ,  $AB = AC$ .  
AD is the bisector of ext.  $\angle PAC$  and  
 $CD \parallel BA$



- To prove :** (i)  $\angle DAC = \angle BCA$   
(ii) ABCD is a ||gm
- Proof :** In  $\triangle ABC$
- $\therefore AB = AC$  (Given)
  - $\therefore \angle C = \angle B$   
(Angles opposite to equal sides)
  - $\therefore \text{Ext. } \angle PAC = \angle B + \angle C$   
 $= \angle C + \angle C = 2\angle C = 2\angle BCA$
  - $\therefore 2\angle DAC = 2\angle BCA$   
 $\angle DAC = \angle BCA$   
But these are alternate angles
  - $\therefore AD \parallel BC$
  - But  $AB \parallel AC$  (Given)
  - $\therefore$  ABCD is a ||gm


**Question 3.**

Prove that the quadrilateral obtained by joining the mid-points of an isosceles trapezium is a rhombus.

**Solution:**

**Given.** ABCD is an isosceles trapezium in which  $AB \parallel DC$  and  $AD = BC$

P, Q, R and S are the mid-points of the sides AB, BC, CD and DA respectively PQ, QR, RS and SP are joined.



**To Prove.** PQRS is a rhombus.

**Constructions.** Join AC and BD.

**Proof.**  $\because$  ABCD is an isosceles trapezium

$\therefore$  Its diagonals are equal

$$\therefore AC = BD$$

Now in  $\triangle ABC$ ,

P and Q are the mid-points of AB and BC

$$\therefore PQ \parallel AC \text{ and } PQ = \frac{1}{2} AC \quad \dots(i)$$

Similarly in  $\triangle ADC$ ,

S and R mid-points of CD and AD

$$\therefore SR \parallel AC \text{ and } SR = \frac{1}{2} AC \quad \dots(ii)$$

from (i) and (ii)

$$PQ \parallel SR \text{ and } PQ = SR$$

$\therefore$  PQRS is a parallelogram




Now in  $\triangle APS$  and  $\triangle BPQ$ ,

$$AP = BP \quad (\text{P is mid-point of AB})$$

$AS = BQ$  (Half of equal sides)  
 $\angle A = \angle B$   
 ( $\because$  ABCD is isosceles trapezium)  
 $\therefore \triangle APS \cong \triangle BPQ$   
 $\therefore PS = PQ$   
 But there are the adjacent sides of a parallelogram  
 $\therefore$  Sides of PQRS are equal  
 Hence PQRS is a rhombus.  
 Hence proved.

**Question 4.**


Find the size of each lettered angle in the Following Figures.



**Solution:**

(i)  $\because$  CDE is a st. line

$$\therefore \angle ADE + \angle ADC = 180^\circ$$



$$122^\circ + \angle ADC = 180^\circ$$

$$\angle ADC = 180^\circ - 122^\circ$$

$$\angle ADC = 58^\circ \quad \dots(1)$$

$$\angle ABC = 360^\circ - 140^\circ = 220^\circ$$

$$\text{(At any point the angle is } 360^\circ) \quad \dots(2)$$

Now, in quadrilateral ABCD,

$$\angle ADC + \angle BCD + \angle BAD + \angle ABC = 360^\circ$$

$$\Rightarrow 58^\circ + 53^\circ + x + 220^\circ = 360^\circ$$

[using (1) and (2)]

$$\Rightarrow 331^\circ + x = 360^\circ \Rightarrow x = 360^\circ - 331^\circ$$

$$\Rightarrow x = 29^\circ \text{ Ans.}$$

(ii)  $\because$  DE  $\parallel$  AB (given)

$$\therefore \angle ECB = \angle CBA \quad \text{(Alternate angles)}$$

$$\Rightarrow 75^\circ = \angle CBA$$

$$\therefore \angle CBA = 75^\circ$$

$\because$  AD  $\parallel$  BC (given)

$$\therefore (x + 66^\circ) + (75^\circ) = 180^\circ$$

(co-interior angles are supplementary)

$$\Rightarrow x + 66^\circ + 75^\circ = 180^\circ \Rightarrow x + 141^\circ = 180^\circ$$

$$\Rightarrow x = 180^\circ - 141^\circ$$

$$\therefore x = 39^\circ \quad \dots(1)$$

Now, in  $\triangle AMB$ ,

Now, in  $\triangle AMB$ ,

$$x + 30^\circ + \angle AMB = 180^\circ$$

(sum of all angles in a triangle is  $180^\circ$ )

$$\Rightarrow 39^\circ + 30^\circ + \angle AMB = 180^\circ \quad [\text{From (1)}]$$

$$\Rightarrow 69^\circ + \angle AMB = 180^\circ$$

$$\Rightarrow \angle AMB = 180^\circ - 69^\circ$$

$$\Rightarrow \angle AMB = 111^\circ \quad \dots(2)$$

$$\therefore \angle AMB = y \quad (\text{vertically opposite angles})$$

$$\Rightarrow 111^\circ = y \quad [\text{From (2)}]$$

$$\therefore y = 111^\circ$$

Hence,  $x = 39^\circ$  and  $y = 111^\circ$

(iii) In  $\triangle ABD$

$$AB = AD \quad (\text{given})$$


$$\angle ABD = \angle ADB$$

( $\therefore$  equal sides have equal angles opposite to them)

$$\Rightarrow \angle ABD = 42^\circ$$

$$[\therefore \angle ADB = 42^\circ (\text{given})]$$

$$\therefore \angle ABD + \angle ADB + \angle BAD = 180^\circ$$



(iii)

(Sum of all angles in a triangle is  $180^\circ$ )

$$\Rightarrow 42^\circ + 42^\circ + y = 180^\circ \Rightarrow 84^\circ + y = 180^\circ$$

$$\Rightarrow y = 180^\circ - 84^\circ \Rightarrow y = 96^\circ$$

$$\angle BCD = 2 \times 26^\circ = 52^\circ$$

In  $\triangle BCD$

$$\therefore BC = CD \quad (\text{given})$$

$$\therefore \angle CBD = \angle CDB = x$$

[equal side have equal angles opposite to them]

$$\therefore \angle CBD + \angle CDB + \angle BCD = 180^\circ$$


$$\Rightarrow x + x + 52^\circ = 180^\circ \Rightarrow 2x = 180^\circ - 52^\circ$$

$$\Rightarrow 2x = 128^\circ \Rightarrow x = \frac{128^\circ}{2} \Rightarrow x = 64^\circ$$

Hence,  $x = 64^\circ$  and  $y = 90^\circ$


**Question 5.**

Find the size of each lettered angle in the following figures :



**Solution:**

(i) Here  $AB \parallel CD$  and  $BC \parallel AD$  (given)  
 $\therefore$  ABCD is a  $\parallel$  gm  
 $\therefore y = 2 \times \angle ABD$   
 $\Rightarrow y = 2 \times 53^\circ = 106^\circ$  ....(1)  
Also,  $y + \angle DAB = 180^\circ$   
 $\Rightarrow 106^\circ + \angle DAB = 180^\circ$   
 $\Rightarrow \angle DAB = 180^\circ - 106^\circ \Rightarrow \angle DAB = 74^\circ$   
 $\therefore x = \frac{1}{2} \angle DAB$  ( $\because$  AC bisect  $\angle DAB$ )



$$\Rightarrow x = \frac{1}{2} \times 74^\circ = 37^\circ$$

and  $\angle DAC = x = 37^\circ$  ....(2)

$\therefore \angle DAC = z$  (Alternate angles) ....(3)

From (2) and (3),

$$z = 37^\circ$$

Hence,  $x = 37^\circ, y = 106^\circ, z = 37^\circ$

(ii)  $\therefore$  ED is a st. line

$$\therefore 60^\circ + \angle AED = 180^\circ$$

(linear pair)

$$\Rightarrow \angle AED = 180^\circ - 60^\circ$$


$$\Rightarrow \angle AED = 120^\circ$$

....(1)

$\therefore$  CD is a st. line

$$\therefore 50^\circ + \angle BCD = 180^\circ$$

(linear pair)





$$\Rightarrow \angle BCD = 180^\circ - 50^\circ$$

$$\Rightarrow \angle BCD = 130^\circ \quad \dots(2)$$

In pentagon ABCDE

$$\angle A + \angle B + \angle AED + \angle BCD + x = 540^\circ$$

(Sum of interior angles in pentagon is  $540^\circ$ )


$$\Rightarrow 90^\circ + 90^\circ + 120^\circ + 130^\circ + x = 540^\circ$$

$$\Rightarrow 430^\circ + x = 540^\circ \Rightarrow x = 540^\circ - 430^\circ$$

$$\Rightarrow x = 110^\circ$$

Hence, value of  $x = 110^\circ$

(iii) In given figure,  $AD \parallel BC$  (given)



$$\therefore 60^\circ + y = 180^\circ \text{ and } x + 110^\circ = 180^\circ$$

$$\Rightarrow y = 180^\circ - 60^\circ \text{ and } x = 180^\circ - 110^\circ$$

$$\Rightarrow y = 120^\circ \text{ and } x = 70^\circ$$

$$\therefore CD \parallel AF \quad \text{(given)}$$

$$\therefore \angle FAD = x \quad \text{(Alternate angles)}$$

$$\Rightarrow \angle FAD = 70^\circ \quad \dots(1)$$

In quadrilateral ADEF,

$$\angle FAD + 75^\circ + z + 130^\circ = 360^\circ$$

$$\Rightarrow 70^\circ + 75^\circ + z + 130^\circ = 360^\circ \quad \text{[using (1)]}$$

$$\Rightarrow 275^\circ + z = 360^\circ \Rightarrow z = 85^\circ$$

Hence,  $x = 70^\circ$ ,  $y = 120^\circ$  and  $z = 85^\circ$


### Question 6.

In the adjoining figure, ABCD is a rhombus and DCFE is a square. If  $\angle ABC = 56^\circ$ , find

(i)  $\angle DAG$


(ii)  $\angle FEG$

- (iii)  $\angle GAC$
- (iv)  $\angle AGC$ .



**Solution:**

Here  $ABCD$  and  $DCFE$  is a rhombus and square respectively.



$$\therefore AB = BC = DC = AD \quad \dots(1)$$

$$\text{Also } DC = EF = FC = EF \quad \dots(2)$$

From (1) and (2),

$$AB = BC = DC = AD = EF = FC = EF \quad \dots(3)$$

$$\angle ABC = 56^\circ \quad (\text{given})$$

$$\angle ADC = 56^\circ$$

(opposite angle in rhombus are equal)

$$\therefore \angle EDA = \angle EDC + \angle ADC = 90^\circ + 56^\circ = 146^\circ$$

In  $\triangle ADE$ ,

$$DE = AD \quad [\text{From (3)}]$$

$$\angle DEA = \angle DAE$$

(equal sides have equal opposite angles)

$$\angle DEA = \angle DAG = \frac{180^\circ - \angle EDA}{2}$$

$$= \frac{180^\circ - 146^\circ}{2} = \frac{34^\circ}{2} = 17^\circ$$

$$\Rightarrow \angle DAG = 17^\circ$$

$$\text{Also, } \angle DEG = 17^\circ$$

$$\therefore \angle FEG = \angle E - \angle DEG$$

$$= 90^\circ - 17^\circ = 73^\circ$$

In rhombus ABCD,

$$\angle DAB = 180^\circ - 56^\circ = 124^\circ$$

$$\angle DAC = \frac{124^\circ}{2} \quad (\because \text{AC diagonals bisect the } \angle A)$$

$$\angle DAC = 62^\circ$$

$$\begin{aligned}\therefore \angle GAC &= \angle DAC - \angle DAG \\ &= 62^\circ - 17^\circ = 45^\circ\end{aligned}$$

In  $\triangle EDG$ ,

$$\angle D + \angle DEG + \angle DGE = 180^\circ$$

(Sum of all angles in a triangle is  $180^\circ$ )

$$\Rightarrow 90^\circ + 17^\circ + \angle DGE = 180^\circ$$

$$\Rightarrow \angle DGE = 180^\circ - 107^\circ = 73^\circ \quad \dots(4)$$

$$\text{Hence, } \angle AGC = \angle DGE \quad \dots(5)$$

(vertically opposite angles)

From (4) and (5)

$$\angle AGC = 73^\circ$$


**Question 7.**

If one angle of a rhombus is  $60^\circ$  and the length of a side is 8 cm, find the lengths of its diagonals.

**Solution:**

Each side of rhombus ABCD is 8 cm.

$$\therefore AB = BC = CD = DA = 8 \text{ cm.}$$



Let  $\angle A = 60^\circ$

$\therefore \triangle ABD$  is an equilateral triangle

$$\therefore AB = BD = AD = 8 \text{ cm.}$$

$\therefore$  Diagonals of a rhombus bisect each other at right angles.

$$\therefore AO = OC, BO = OD = 4 \text{ cm.}$$

and  $\angle AOB = 90^\circ$

Now in right  $\triangle AOB$ ,

$$AB^2 = AO^2 + OB^2$$

(Pythagoras Theorem)

$$\Rightarrow (8)^2 = AO^2 + (4)^2$$

$$\Rightarrow 64 = AO^2 + 16$$

$$\Rightarrow AO^2 = 64 - 16 = 48 = 16 \times 3$$

$$\therefore AO = \sqrt{16 \times 3} = 4\sqrt{3} \text{ cm.}$$

But  $AC = 2 AO$

$$\therefore AC = 2 \times 4\sqrt{3} = 8\sqrt{3} \text{ cm}$$

**Question 8.**

Using ruler and compasses only, construct a parallelogram ABCD with AB = 5 cm, AD = 2.5 cm and  $\angle BAD = 45^\circ$ . If the bisector of  $\angle BAD$  meets DC at E, prove that  $\angle AEB$  is a right angle.

**Solution:**

**Given :** AB = 5 cm, AD = 2.5 cm and  $\angle BAD = 45^\circ$ .

**Required :** (i) To construct a parallelogram ABCD.

(ii) If the bisector of  $\angle BAD$  meets DC at E then prove that  $\angle AEB = 90^\circ$ .



**Steps of Construction:**

1. Draw AB = 5 cm.
2. Draw  $\angle BAD = 45^\circ$  on side AB.
3. Take A as centre and with 2.5 cm as radius draw an arc AP on BA.
4. Take B as centre and with 2.5 cm as radius.
5. Take C as centre and with equal to 1.5 cm as radius of cap (P) as C of the arc AP, and (Q).
6. Join BC is the required parallelogram.
7. Draw the bisector of  $\angle BAD$ , which cuts the DC at E.
8. Join AE.
9. Draw the  $\angle AEB$  which is equal to  $90^\circ$ .

**Q.E.D.**